







▶ Contents

Pacer	2
E-Pacer	18
Tricycle	24
New Stander	36
Mobile Stander	48
Activity Chair	56
Compass Chair	76
Anchor family	82
HTS	86
Support Station	102
Wave	108
Customer information	118
How to order	119
MOVE™	120
Product index	121

◀ **The Stander makes interactions easy and fun!**



Pacer

Gait training has come a long way since we introduced our first model 35 years ago, and the Pacer continues to evolve and improve to meet our customers' needs. Over the years your suggestions have helped us keep our design at the cutting edge.

The Pacer, because it can be configured in so many ways, can accommodate clients of every ability, in any environment. It's the versatility and dependability you've come to expect from Rifton.



Find letters of medical necessity
and informative articles at:
www.rifton.com/pacer

"My students have a wide range of motor issues. Many need a gait trainer that allows them more freedom of movement. Sometimes with our old equipment, it seems like they're fighting against the device, but Rifton's dynamic Pacer allows and even shapes the natural movement that occurs with walking. It's fabulous."*"*

*Nikki Cornell, MPT
Clovis Unified School District, CA*

..... **The Pacer** (dynamic shown here) is easily configured to meet your client's every need. Choose between dynamic and standard upper frames and pair them with standard bases.

DESIGNED FOR USE WITH THE
MOVE[®]
P R O G R A M

Pacer features

The six members of the Pacer family



Mini



Small



Medium






Large



XL



E-Pacer (see pp. 18–23)



Why dynamic?

Walking is complex. When we talk about dynamic gait training we refer to the often unobserved but significant shifts of body and weight that occur in typical gait patterns. Rifton's dynamic Pacer allows the dynamic weight-bearing and weight-shifting needed for a natural gait pattern while providing the support necessary for correct posture.

The dynamic upper frame delivers 2" of vertical and horizontal movement with separate lock-out control for each.



2" horizontal movement



2" vertical movement

Perfect positioning made easy

The single-column upper frame

features a locking gas spring that adjusts to any height on the indexed column.

A single button unlocks the gas spring for easy height adjustment. Release the button to lock it at any height.

The column is indexed for quick adjustment to individual clients' ideal heights.



Combining the fluid height adjustments of the MPS and upper frame brings the seat low enough for a transfer from the seated position.



Once the transfer is completed, caregivers raise the upper frame to bring the client into an upright position.

The multi-position saddle (MPS)

is the ultimate pelvic positioning aid.

Adjustable in five directions to accommodate each client's posture, the MPS easily attaches to both the dynamic and standard upper frames.



Saddle height adjusts to fine-tune the amount of weight-bearing support during gait.

Adjustment range:
Large: 8½", Med: 8½", Small: 5½"

Saddle angle is adjustable to position the pelvis in anterior or posterior tilt for the most effective gait pattern.

Adjustment range:
Large: 15° forward and 15° back
Med/Small: 7° forward and 7° back



Hip corral depth and height adjustments move the hip corral to provide cushioning and support for the pelvis at the level of the ASIS.

Adjustment range:
Large: depth 3", height 3"
Med/Small: depth 3", height 2"



Saddle depth adjusts to optimally position the pelvis in relation to the upper body to encourage weight-bearing and forward motion during ambulation.

Adjustment range:
Large: 5", Med/Small: 4"



Using the height adjustment on the MPS, the caregivers raise the client's pelvis to the optimal height for weight-bearing and step-taking.



With the tilt adjustment on the MPS, the caregivers position the client's pelvis for the most effective gait pattern.

Infinite control for effective movement

The Pacer casters' five functions let you fine-tune the Pacer's movement as your clients gain control.


Standard base casters



Utility base front caster



Utility base rear wheel



Utility base

Easy rolling over thresholds or thick carpet (or even outdoors on gravel or grass) is possible with the large-wheeled utility base, letting you go places you never could before.



Transportable

The detachable upper frame makes it easy to stow and transport the Pacer. Separable components allow you to bring the right base for each client and every setting.



Go minimal

The Pacer chest pad and handlebars form a lightweight configuration perfect for higher functioning users. Available for small, medium and large Pacer sizes, these components allow easy transfers and quick adjustment.



Posterior position



Posterior positioning is a natural progression towards independent movement, and it gives the users improved access to their environment.

Note: The standard base is recommended for posterior positioning. When the utility base is reversed, steering is more difficult and the directional lock feature will not work.

Reverse the MPS

The MPS has been designed to allow reverse positioning of the saddle, which enables gait practice with the frame in the posterior position.

For instructions on how to place the MPS in the posterior position, scan the code or visit www.rifton.com/MPSPosterior.



Components



Dynamic upper frame provides dynamic weight-shifting and dynamic body-weight support, encouraging natural gait patterns.



Standard upper frame is a light-weight choice for clients who do not need dynamic movement.



Standard base
Designed to be used on smooth surfaces.
Caster size: 5½"



Utility base
For indoors or out, this base is the best choice for navigating thresholds, lawns, gravel paths or chipped playgrounds. No downhill though! Always be safe.
Caster/wheel size: front casters 8", rear wheels 11½"



Arm prompts

Versatile arm prompts allow height, rotation, angle, lateral proximity and forward/backward adjustments to accommodate numerous positioning requirements.

Padded surface area	Adjustment range
small 4½" x 8"	(elbow to fist): small 9" – 12½"
large 5" x 9"	large 10½" – 15"



Arm platforms

Arm platforms offer a simple alternative for clients who need less arm positioning. They attach to the adjustable arm prompt base and are made of closed-cell molded foam for padded comfort and easy cleaning.

Padded surface dimensions: 13½" x 5½"



Hand brakes

The hand brakes combine both running and parking brake functions in a simple lever-action control. The brakes attach to the arm prompts and can be quickly removed when not needed.

Note: Since retrofitting is complex, we recommend ordering brakes with the original purchase.



Hand loops

For less involved clients, hand loops are a simpler option for upper extremity support.



Chest prompt

The padded chest prompt holds the client's torso securely at the angle of your choice. It is available in three sizes.

Range of circumference	Pad height
small 14" – 28"	small 4½"
med 22" – 40"	med 6½"
large 28" – 50"	large 8"



Components (continued)



Chest pad

The chest pad is ideal for less involved users. With its single support strap and double angle adjustment it allows easy transfers and quick positioning.

Range of circumference	Pad height
small 14"–28"	small 4"
med 22"–40"	med 5"
large 28"–50"	large 6"



Handlebars

For users who need less arm support, the handlebars attach quickly and adjust easily. They pair perfectly with the simple chest pad.

Height from pivot to top: small: 5", large: 7"



Multi-position saddle

The multi-position saddle (MPS) enables precise positioning of the pelvis. Adjustable in five directions to accommodate each client's posture, the MPS attaches to both the dynamic and standard upper frames. A seat cover is also available to decrease surface friction.

Dimensions: see page 7 and page 16



Pelvic support

For clients who need less abduction, the pelvic support is a softer alternative to the hip positioner. It provides weight-bearing assistance and freedom of movement while clients build strength and stamina.


Dimensions: see page 16



Hip positioner

The hip positioner enables natural pelvic movement and lower extremity weight-shifting, and provides good abduction. A pad is available for added comfort.

Dimensions: see page 16






Thigh prompts

Thigh prompts swing with the user's stride and prevent leg scissoring. They are adjustable in the medial and lateral directions and prevent the user from turning within the Pacer frame.

Length (from clamp to strap)
small 5"–8"
large 5"–11"

Max. leg circumference
small 15"
large 20"



Ankle prompts

Ankle prompts have comfortably padded ankle straps and spring adjusters to control stride length and placement. Adjust the strap length to determine foot separation and prevent scissoring.



Handholds

The ergonomic handholds are height-adjustable, and can be placed anywhere along the top bar of the frame. Handholds can be used by caregiver or client.



Communication tray

The communication tray is great for holding tablets and other mobile devices.

Inside dimensions: 8½" x 11"
Max. working load: 10 lb



Attendant guide bar

The guide bar is made of lightweight, high strength aluminum alloy. It attaches to the front tube of the standard or utility base with a quick-release clamp, and enables the caregiver to guide the Pacer from in front or behind.




Accessories tote

A tough and attractive tote bag big enough (14" x 16" x 9") to keep all your Pacer components together when not in use. Made of black ballistic nylon, here is a bag that will hold up to whatever you throw in it and still look great.



Pacer dimensions

Key user dimensions (inches)		K610 mini	K620 small	K630 medium	K640 large	K650 XL
Elbow height		15½ – 20½	18½ – 27½	24 – 35	32 – 47	34 – 49
 Key user dimension: elbow height Measure the vertical distance from the bent elbow to the floor while the user is standing upright. Choose the size that allows for growth.						
Item dimensions (inches)		K610 mini	K620 small	K630 medium	K640 large	K650 XL
Floor to top of arm prompt		15½ – 20½	18½ – 27½	24 – 35	32 – 47	34 – 49
Floor to top of MPS (not tilted)*		N/A	10 – 20	9½ – 23½	17 – 35	19½ – 37½
Overall width	Standard base:	20½	23	26	28	31½
	Utility base:	N/A	N/A	30	32	N/A
Overall length	Standard base:	22½	26	30	36	39¾
	Utility base:	N/A	N/A	36	40½	N/A
Frame height	Standard & utility base:	12½	16 – 21	21½ – 27	28½ – 38½	31 – 41
Base height (without upper frame)	Standard & utility base::	N/A	11	14½	16	18½
Frame weight (lb)	Standard base:	10¼	11½	15	15½	22½
	Utility base:	N/A	N/A	18½	19¼	N/A
	Standard upper:	N/A	6	7½	9½	11
	Dynamic upper:	N/A	7½	11½	13½	15
Dynamic upper movement	Vertical:	N/A	1¼	2	2	2
	Horizontal:	N/A	1½	2	2	2
Maximum working load (lb)		50	75	150	200	250

*This measurement is taken at the lowest frame and MPS height, and the highest frame and MPS height.

Pelvic support

User dimensions (inches)

Indicated by the red arrow below

Key user dimension:

half of thigh circumference

measured at the groin.


K556 small	K557 med.	K558 large
4 – 8	6 – 10	8 – 14

The diagram illustrates the measurement of half thigh circumference at the groin. It shows a stylized grey silhouette of a person's lower body from the waist down to the thighs. A red curved arrow points from the center of the groin area towards the left thigh. Three measurement points are indicated: 'a' is a horizontal double-headed arrow between the inner thighs at the groin; 'b' is a horizontal double-headed arrow across the widest part of the upper thighs; and 'c' is a vertical double-headed arrow on the right thigh, indicating the distance from the groin level down to the upper thigh level.


Product dimensions (inches)

	K556 small	K557 med.	K558 large
a	6½	8½	12
b	12	16	20
c	7	9	12

Hip positioner

Dimensions (inches) – without pad		
		
	K513 small	K533 large
a Crotch length	2½	3½
b Width	1¼	1¾
c Length	9	11

MPS saddle

Dimensions (inches)		
		
	K672/K673 small/med	K674 large
a Width at rear	3½	5¼
b Width at front	3	4½
c Length	9½	10¾



All five sizes are available in five colors: red, blue, black, lime and pink.

2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/pacer>



			K610 mini	K620 small	K630 medium	K640 large	K650 XL							
* Color			CHOOSE	Red	<input type="checkbox"/>	Red	<input type="checkbox"/>	Red	<input type="checkbox"/>	Red	<input type="checkbox"/>			
				Blue	<input type="checkbox"/>	Blue	<input type="checkbox"/>	Blue	<input type="checkbox"/>	Blue	<input type="checkbox"/>			
				Black	<input type="checkbox"/>	Black	<input type="checkbox"/>	Black	<input type="checkbox"/>	Black	<input type="checkbox"/>			
				Lime	<input type="checkbox"/>	Lime	<input type="checkbox"/>	Lime	<input type="checkbox"/>	Lime	<input type="checkbox"/>			
				Pink	<input type="checkbox"/>	Pink	<input type="checkbox"/>	Pink	<input type="checkbox"/>	Pink	<input type="checkbox"/>			
* Upper frame		CHOOSE	Dynamic	N/A	<input type="checkbox"/>	K621	<input type="checkbox"/>	K631	<input type="checkbox"/>	K641	<input type="checkbox"/>	K651	<input type="checkbox"/>	
		Standard	N/A	<input type="checkbox"/>	K622	<input type="checkbox"/>	K632	<input type="checkbox"/>	K642	<input type="checkbox"/>	K652	<input type="checkbox"/>		
* Base	Standard base		CHOOSE	With odometer	K613	<input type="checkbox"/>	K623	<input type="checkbox"/>	K633	<input type="checkbox"/>	K643	<input type="checkbox"/>	K653	<input type="checkbox"/>
			Without odometer	K614	<input type="checkbox"/>	K624	<input type="checkbox"/>	K634	<input type="checkbox"/>	K644	<input type="checkbox"/>	K654	<input type="checkbox"/>	
	Utility base (larger wheels)		CHOOSE	With odometer	N/A		N/A	<input type="checkbox"/>	K635	<input type="checkbox"/>	K645	<input type="checkbox"/>	N/A	
			Without odometer	N/A		N/A	<input type="checkbox"/>	K636	<input type="checkbox"/>	K646	<input type="checkbox"/>	N/A		
Arm supports (pair)			CHOOSE	Small arm prompts	K512	<input type="checkbox"/>	K512	<input type="checkbox"/>	K512	<input type="checkbox"/>	K512	<input type="checkbox"/>	K512	<input type="checkbox"/>
				Large arm prompts	N/A		N/A	<input type="checkbox"/>	K532	<input type="checkbox"/>	K532	<input type="checkbox"/>	K532	<input type="checkbox"/>
				Arm platforms	N/A		N/A	<input type="checkbox"/>	K697	<input type="checkbox"/>	K697	<input type="checkbox"/>	K697	<input type="checkbox"/>
				Arm platforms w/ handgrips	N/A		N/A	<input type="checkbox"/>	K696	<input type="checkbox"/>	K696	<input type="checkbox"/>	K696	<input type="checkbox"/>
Handbrake for utility base (requires arm supports)					N/A		N/A	<input type="checkbox"/>	K687	<input type="checkbox"/>	K688	<input type="checkbox"/>	N/A	
Handlebars (pair)		CHOOSE	Small	K625	<input type="checkbox"/>	K625	<input type="checkbox"/>	K625	<input type="checkbox"/>	K625	<input type="checkbox"/>	K625	<input type="checkbox"/>	
			Large	N/A		N/A	<input type="checkbox"/>	K675	<input type="checkbox"/>	K675	<input type="checkbox"/>	K675	<input type="checkbox"/>	
Hand loops (pair)					K579	<input type="checkbox"/>	K579	<input type="checkbox"/>	K579	<input type="checkbox"/>	K579	<input type="checkbox"/>	K579	<input type="checkbox"/>
Chest prompt			CHOOSE	Small	K514	<input type="checkbox"/>	K514	<input type="checkbox"/>	K514	<input type="checkbox"/>	N/A		N/A	
				Medium	N/A		K524	<input type="checkbox"/>	K524	<input type="checkbox"/>	K524	<input type="checkbox"/>	K524	<input type="checkbox"/>
				Large	N/A		N/A	<input type="checkbox"/>	K534	<input type="checkbox"/>	K534	<input type="checkbox"/>	K534	<input type="checkbox"/>
Chest pad					N/A		K629	<input type="checkbox"/>	K639	<input type="checkbox"/>	K649	<input type="checkbox"/>	N/A	
Multi-position saddle			CHOOSE	Small	N/A		K672	<input type="checkbox"/>	N/A		N/A		N/A	
				Medium	N/A		N/A	<input type="checkbox"/>	K673	<input type="checkbox"/>	N/A		N/A	
				Large	N/A		N/A	<input type="checkbox"/>	K674	<input type="checkbox"/>	K674	<input type="checkbox"/>	K674	<input type="checkbox"/>
MPS seat cover			CHOOSE	Small/Medium	N/A		K627	<input type="checkbox"/>	K627	<input type="checkbox"/>	N/A		N/A	
				Large	N/A		N/A	<input type="checkbox"/>	K628	<input type="checkbox"/>	K628	<input type="checkbox"/>	K628	<input type="checkbox"/>
Pelvic support (includes handholds)			CHOOSE	Small	K556	<input type="checkbox"/>	K556	<input type="checkbox"/>	K556	<input type="checkbox"/>	N/A		N/A	
				Medium	N/A		K557	<input type="checkbox"/>	K557	<input type="checkbox"/>	K557	<input type="checkbox"/>	K557	<input type="checkbox"/>
				Large	N/A		N/A	<input type="checkbox"/>	K558	<input type="checkbox"/>	K558	<input type="checkbox"/>	K558	<input type="checkbox"/>
Hip positioner (includes handholds)			CHOOSE	Small	K513	<input type="checkbox"/>	K513	<input type="checkbox"/>	K513	<input type="checkbox"/>	K513	<input type="checkbox"/>	K513	<input type="checkbox"/>
				Large	N/A		N/A	<input type="checkbox"/>	K533	<input type="checkbox"/>	K533	<input type="checkbox"/>	K533	<input type="checkbox"/>
Hip positioner pad			CHOOSE	Small	K541	<input type="checkbox"/>	K541	<input type="checkbox"/>	K541	<input type="checkbox"/>	K541	<input type="checkbox"/>	K541	<input type="checkbox"/>
				Large	N/A		N/A	<input type="checkbox"/>	K542	<input type="checkbox"/>	K542	<input type="checkbox"/>	K542	<input type="checkbox"/>
Thigh prompts (pair)			CHOOSE	Small	N/A		K515	<input type="checkbox"/>	K515	<input type="checkbox"/>	K515	<input type="checkbox"/>	N/A	
				Large	N/A		N/A	<input type="checkbox"/>	K535	<input type="checkbox"/>	K535	<input type="checkbox"/>	K535	<input type="checkbox"/>
Ankle prompts for standard base (pair)					K681	<input type="checkbox"/>	K682	<input type="checkbox"/>	K683	<input type="checkbox"/>	K684	<input type="checkbox"/>	K684	<input type="checkbox"/>
Ankle prompts for utility base (pair)					N/A		N/A		K693	<input type="checkbox"/>	K694	<input type="checkbox"/>	N/A	
Additional handholds (pair)					K519	<input type="checkbox"/>	K519	<input type="checkbox"/>	K519	<input type="checkbox"/>	K519	<input type="checkbox"/>	K519	<input type="checkbox"/>
Communication tray					K518	<input type="checkbox"/>	K698	<input type="checkbox"/>	K698	<input type="checkbox"/>	K698	<input type="checkbox"/>	K698	<input type="checkbox"/>
Attendant guide bar					K589	<input type="checkbox"/>	K679	<input type="checkbox"/>	K689	<input type="checkbox"/>	K689	<input type="checkbox"/>	N/A	
Rifton accessories tote					K522	<input type="checkbox"/>	K522	<input type="checkbox"/>	K522	<input type="checkbox"/>	K522	<input type="checkbox"/>	K522	<input type="checkbox"/>

* Required

E-Pacer

The Rifton E-Pacer is the largest member of the Pacer family. Its sit-to-stand lift functionality removes a major barrier to gait training for large or highly dependent clients. The E-Pacer can be a life-changing solution for clients who have grown too large or too dependent to be safely transferred into manual gait trainers. Its strong and stable frame accommodates users up to 6' 5" and 350 lb.



Effortless adjustments

The lift column adjusts from 32¾" to 59". The legs expand to fit around large wheelchairs.

Transfers made easy

The E-Pacer's electric lift makes the initial transfer safe and simple even with large clients. Here is one possible sequence for a no-lift transfer:



Transfer the client onto the pelvic support in a seated transfer using the thigh straps.



Use the pelvic support for a sit-to-stand transfer.




Begin gait training.

Gait Tracker

The E-Pacer scale connects with a phone or tablet via Bluetooth to display scale data on Rifton's Gait Tracker app.

The Gait Tracker shows a running average of the weight measured by the scale and calculates average weight-bearing for a gait training session.



Mount a phone on the patient handgrip with a bicycle phone mount to make the scale visible to the client.

Components



Scale

Weigh your clients during routine transfers, or measure their weight-bearing during gait training. When the scale is paired with a tablet or phone via Bluetooth, track your client's weight-bearing progress with Rifton's Gait Tracker app.

Note: The scale must be included in the original purchase. It cannot be added later.



Odometer

No more counting tiles on the floor! The odometer makes it easy to record how far your client walks in feet or meters.



Front handle

The front handle allows a caregiver to maneuver and guide the E-Pacer. It includes an up/down switch to adjust the height of the body support.



Switch pole

The switch pole lets a caregiver operate the electric lift without bending down (when not using the front handle). Turn it around to give the client control of the lift.



Arm prompts

Versatile arm prompts include height, rotation, angle, lateral proximity and forward/backward adjustments to accommodate various positioning requirements.

Adjustment range

(elbow to fist): small 9" – 12½"
large 10½" – 15"

Padded surface area

small 4½" x 8"
large 5" x 9"





Arm platforms

Arm platforms are a simple arm support alternative for clients who need less positioning. They are made of closed-cell molded foam for padded comfort and easy cleaning.

Padded surface dimensions: 13½" x 5½"



Hip positioner

The hip positioner is designed to encourage good positioning for gait training. It enables natural pelvic movement and lower extremity weight-shifting, and provides good abduction. A pad is available for added comfort.

Dimensions: see page 22



Pelvic support

Available in three sizes, the pelvic support is used for sit-to-stand transfers and gait training. It can also be used for fall prevention, making it suitable for early mobility in recovery. It may fit the client best when the straps are crossed as shown in the photo.

Dimensions: see page 22



Thigh straps

Thigh straps are used for seated transfers. They are machine washable and are available in narrow and wide styles.

Width: narrow 5", wide 7"



Ankle prompts

Ankle prompts attach to the bottom bar of the E-Pacer frame and have padded straps that can be adjusted to prevent scissoring. Movable clips on the ankle prompt bar regulate stride length and placement.




Accessories tote

A tough and attractive tote bag big enough (14" x 16" x 9") to keep all your E-Pacer components together when not in use. Made of black ballistic nylon with a zippered top, here's a bag that will hold up to whatever you throw in it and still look great.



E-Pacer dimensions


User dimensions (inches)		K660
Girth		22 min – 55 max
 Key user dimension: girth Important: User's weight or height must not exceed: 350 lb or 77 inches		
Item dimensions (inches)		K660 E-Pacer
Overall length		44¾
Overall width		31½ – 51¾
Overall height		32¾ – 59
E-Pacer frame weight (lb)		72
Turning diameter		50
Floor to top of base leg for furniture clearance		8¾
Min. user armpit height (when standing or ambulating)		31½
Max. user height (when standing or ambulating)		77
Max. working load (lb)		350

Pelvic support

User dimensions (inches)
Indicated by the red arrow below

Key user dimension: half of thigh circumference measured at the groin.


K306 small	K316 med.	K326 large
6–10	8–14	10–18



Product dimensions (inches)

	K306 small	K316 med.	K326 large
a	8½	12	13½
b	16	20	25
c	9	12	14

Hip positioner

Product dimensions (inches) – without pad		
		
K667 small	K668 large	
a Crotch length	2½	3½
b Width	1¼	1¾
c Length	9	11

The E-Pacer comes in your choice of five colors.



Red



Blue



Black



Lime



Pink

2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/e-pacer>



		K660
* Frame includes one battery, one battery charger and charger power cord. (International power cords available on request.)		K661 <input type="checkbox"/>
* Color	CHOOSE	Red <input type="checkbox"/>
		Blue <input type="checkbox"/>
		Black <input type="checkbox"/>
		Lime <input type="checkbox"/>
		Pink <input type="checkbox"/>
Scale (must be chosen at the time of the original purchase. It cannot be added later.)		K662 <input type="checkbox"/>
Odometer		K663 <input type="checkbox"/>
Front handle		K665 <input type="checkbox"/>
Switch pole		K666 <input type="checkbox"/>
Arm supports (pair)	CHOOSE	Small arm prompts <input type="checkbox"/>
		Large arm prompts <input type="checkbox"/>
		Arm platforms <input type="checkbox"/>
		Arm platforms with handgrips <input type="checkbox"/>
Hip positioner	CHOOSE	Small <input type="checkbox"/>
		Large <input type="checkbox"/>
Hip positioner pad	CHOOSE	Small <input type="checkbox"/>
		Large <input type="checkbox"/>
Pelvic support	CHOOSE	Small <input type="checkbox"/>
		Medium <input type="checkbox"/>
		Large <input type="checkbox"/>
Thigh straps	CHOOSE	Narrow <input type="checkbox"/>
		Wide <input type="checkbox"/>
Ankle prompts		K684 <input type="checkbox"/>
Additional battery		K307 <input type="checkbox"/>
Additional thigh straps	CHOOSE	Narrow single <input type="checkbox"/>
		Narrow pair <input type="checkbox"/>
		Wide single <input type="checkbox"/>
		Wide pair <input type="checkbox"/>
Rifton accessories tote		K522 <input type="checkbox"/>

* Required



Tricycle

At Rifton we believe everyone deserves the chance to ride. Biking is more than just recreational; it's therapeutic. We know the health benefits that come with cycling, especially for children with disabilities – improved leg strength, posture, balance and range of motion. We've also seen how it helps their socialization, their engagement with friends and family. Adaptive tricycles help non-ambulatory people experience the joy and freedom of independent movement.

In the forty years that we've been making adaptive tricycles, we've sought continually to make our designs more accessible and functional. The new Rifton Tricycle brings our experience and therapists' input together with cutting-edge materials and technology to create the ultimate ride. It is sleek, rugged, adaptable and a whole lot of fun.



Find letters of medical necessity
and informative articles at:
www.rifton.com/trike

"For those who think biking is only recreational, I say come to my classroom and watch my students. The health and therapeutic benefits of biking every day are unmistakable. I cannot begin to say how much each of them benefit from these trikes."

*William Lynch, PT, DPT
Orange-Ulster Boces, NY*

●..... **Tricycle (X330)**
with simple prompt configuration

Tricycle features



Variable pedal resistance

The adjustable brake can provide drag, or lock the wheels for safe transfer.



Backrest angle

Position the backrest vertically or at a 7½° or 15° recline.



Carbon fiber drive belt

The drive belt will not rust or stretch, and will last at least five times longer than a bicycle chain.



Seat depth

The seat depth adjusts easily with a knob underneath.



Riders feel more independent when a caregiver assists from behind with the rear steer.



The laterals and handlebar swing away for easy transfers.



The seat glides up and down on a low-friction rail. This rider pushes with his feet to help his caregiver raise the seat.



The front guide bar encourages face-to-face interaction.



Configurable

The Rifton Tricycle can be configured for maximum support (above), or with minimal prompts (left), for freedom of movement and uncluttered appearance.

Slide sandals forward and back to adjust foot length and heel stop, or remove completely to use a conventional bike pedal underneath.



A great way to exercise!

The stationary stand elevates the rear wheels of the tricycle, enabling a client to pedal in place and exercise her lower extremities. As her muscles move through the cycling motions, they are flexed, extended and stretched. The variable pedal resistance allows the caregiver to adjust the effort level as desired.

Use the same stationary stand for all three sizes of the tricycle.



Remove rear wheels and front end, and flip down the backrest for easy transport.

Components



Handlebars

Choose either a stylish conventional handlebar or a loop handlebar for more adjustability.



Choice of back support

The **trunk support** stabilizes a rider with low trunk control, and comes with a butterfly harness for anterior support. Laterals and a headrest can be added as well.

Small: 14" wide x 10½" high

Large: 16" wide x 16" high

The **backrest pad** is great for clients who need less support.

Small: 10" wide x 5" high

Large: 11" wide x 6" high



Seats

Seats are made of soft foam for comfort, and include a seat belt.

Small: 8" wide x 8" long

Medium: 13" wide x 10" long

Large: 17" wide x 12" long



Headrests

Choose between winged and contoured headrests. They adjust horizontally and vertically for optimal positioning and attach to the trunk support system, tool-free.

Contoured: 9" x 5"

Winged: 16" x 5" when flat to 6" between wings at 90°



Laterals

The laterals slide in tracks on the back of the trunk support. They have independent vertical, width and angle adjustment, and can swing out of the way for transfers.

Small: 4" x 5"

Large: 5" x 6"





Choice of rear handle

The **push handle** can be ordered with or without the caregiver brake. It allows the caregiver to assist the rider and control the tricycle's speed.

The **rear steer** can be ordered with or without the caregiver brake. It lets a caregiver aid in steering the tricycle from behind, giving the rider a feeling of independence.



Hand anchors

The hand anchors provide soft, comfortable support for users who have difficulty keeping their hands on the handlebars.

Small: fits hand length of less than 6"

Large: fits hand length of 6" or over



Front handbrake

The front handbrake gives riders control over their speed. It can be positioned for left or right-hand use, and locked for parking.



Front guide bar

The front guide bar lets a caregiver guide the tricycle from the front. It enables eye contact between the caregiver and rider.



Abductor

The abductor separates the knees and helps to control spasticity that causes leg scissoring. It is adjustable forward and back with depth markings.



Components (continued)



Abductor with adduction straps

The adduction straps attach to rods on the abductor pad, and provide a comfortable lateral boundary for a client's knees to maintain proper body and joint alignment.



Pelvic harness

Rifton's unique pelvic harness firmly positions a client's pelvis, securing hips and upper thighs without pressure on the abdomen. It provides a stable, comfortable base for postural control and encourages proper alignment of the spine. It also controls extreme extensor spasticity that can result in sacral sitting.

Max. thigh circumference: small 22", medium 25", large 31"



Pedal raise kit

The pedal raise kit includes two blocks and two longer bolts with knobs. Stack them singly or in pairs to accommodate leg length discrepancy.

Block thickness: 1/2"



Stationary stand

The stationary stand converts any Rifton tricycle into a stationary trainer for pedaling practice or rainy-day activity.



Mounting bar

The mounting bar clips to the center of the handlebar and provides a place to attach a device mount. Great for communication devices.

Mounting bar diameter: 7/8"



**Front basket**

The front basket is a convenient storage space for small items.


**Outdoor cover**

The outdoor cover is weather and water-resistant for storing your tricycle outside.



The small trike is suitable for early intervention.

Tricycle dimensions

User dimensions (inches)	X320 small	X330 medium	X340 large
Inside leg length	12 – 22	19 – 28	25 – 38
 <p>Key user dimension: inside leg length The extended leg should reach from seat to pedal comfortably when both feet and torso are strapped into place.</p> <p>Important: User's weight must not exceed the maximum working load. Rifton Tricycles are not intended for clients with strong reflexes or poorly developed trunk balance and head control. Consult your client's therapist before ordering.</p>			
Item dimensions (inches)	X320 small	X330 medium	X340 large
Overall width	25½	27½	31½
Overall length	44	53	65
Overall height (at lowest position with wheels / front end removed for transport)	21¼	21¼	30
Overall length with no rear handle (wheels and front end removed)	36	41	49
Overall length with rear handle (wheels and front end removed)	48	51	60
Wheel diameter	12	15	18
Seat center to extended pedal	12 – 22	19 – 28	25 – 36
Seat to top of trunk support (max. height)	16	24	24
Gear ratio	1:1	1:1	1:1
Item weight (lb)	47	56	65
Adjustment range of laterals	small trunk support: 6–12		large trunk support: 9½–15½
Max. working load (lb)	125	250	310



Small and medium Trikes come in your choice of five colors.



Blue



Red



Teal



Lime



Pink

Large Trikes come in your choice of five colors.




Blue



Red



Teal



White



Black

2025 Tricycle order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/trike>



		X320 small	X330 medium	X340 large
* Tricycle frame includes pedals, parking brake with variable resistance, and a rear basket.		X321 <input type="checkbox"/>	X331 <input type="checkbox"/>	X341 <input type="checkbox"/>
* Color (Note that the choices are different between sizes.)		Blue <input type="checkbox"/>	Blue <input type="checkbox"/>	Blue <input type="checkbox"/>
CHOOSE		Red <input type="checkbox"/>	Red <input type="checkbox"/>	Red <input type="checkbox"/>
		Teal <input type="checkbox"/>	Teal <input type="checkbox"/>	Teal <input type="checkbox"/>
		Lime <input type="checkbox"/>	Lime <input type="checkbox"/>	Black <input type="checkbox"/>
		Pink <input type="checkbox"/>	Pink <input type="checkbox"/>	White <input type="checkbox"/>
* Handlebar	CHOOSE Loop	X322 <input type="checkbox"/>	X332 <input type="checkbox"/>	X342 <input type="checkbox"/>
	Conventional	X323 <input type="checkbox"/>	X333 <input type="checkbox"/>	X343 <input type="checkbox"/>
* Back support	CHOOSE Small backrest pad	X326 <input type="checkbox"/>	X326 <input type="checkbox"/>	N/A
	Large backrest pad	N/A	X336 <input type="checkbox"/>	X336 <input type="checkbox"/>
	Small trunk support	X327 <input type="checkbox"/>	X327 <input type="checkbox"/>	N/A
	Large trunk support	N/A	X337 <input type="checkbox"/>	X337 <input type="checkbox"/>
* Seat	CHOOSE Small	X324 <input type="checkbox"/>	N/A	N/A
	Medium	X325 <input type="checkbox"/>	X334 <input type="checkbox"/>	N/A
	Large	N/A	X335 <input type="checkbox"/>	(included)
Headrest (requires trunk support)	CHOOSE Contoured	X376 <input type="checkbox"/>	X376 <input type="checkbox"/>	X376 <input type="checkbox"/>
	Winged	X378 <input type="checkbox"/>	X378 <input type="checkbox"/>	X378 <input type="checkbox"/>
Laterals (pair) (require trunk support)	CHOOSE For small trunk support	X328 <input type="checkbox"/>	X328 <input type="checkbox"/>	N/A
	For large trunk support	N/A	X338 <input type="checkbox"/>	X338 <input type="checkbox"/>
Rear handle (rear steer must be factory installed)	CHOOSE Push handle	X312 <input type="checkbox"/>	X312 <input type="checkbox"/>	X313 <input type="checkbox"/>
	Push handle w/ caregiver brake	X314 <input type="checkbox"/>	X314 <input type="checkbox"/>	X315 <input type="checkbox"/>
	Rear steer	X352 <input type="checkbox"/>	X353 <input type="checkbox"/>	X354 <input type="checkbox"/>
	Rear steer w/ caregiver brake	X362 <input type="checkbox"/>	X363 <input type="checkbox"/>	X364 <input type="checkbox"/>
Hand anchors (pair)	CHOOSE Small	X317 <input type="checkbox"/>	X317 <input type="checkbox"/>	N/A
	Large	N/A	X318 <input type="checkbox"/>	X318 <input type="checkbox"/>
Front handbrake (must be factory installed)		X329 <input type="checkbox"/>	X339 <input type="checkbox"/>	X349 <input type="checkbox"/>
Front guide bar		X319 <input type="checkbox"/>	X319 <input type="checkbox"/>	X319 <input type="checkbox"/>
Abductor		X355 <input type="checkbox"/>	X356 <input type="checkbox"/>	X357 <input type="checkbox"/>
Abductor with adduction straps		X365 <input type="checkbox"/>	X366 <input type="checkbox"/>	X367 <input type="checkbox"/>
Pelvic harness	CHOOSE Small	X372 <input type="checkbox"/>	N/A	N/A
	Medium	N/A	X373 <input type="checkbox"/>	N/A
	Large	N/A	X374 <input type="checkbox"/>	X374 <input type="checkbox"/>
Pedal raise kit		X344 <input type="checkbox"/>	X344 <input type="checkbox"/>	X344 <input type="checkbox"/>
Stationary stand		X345 <input type="checkbox"/>	X345 <input type="checkbox"/>	X345 <input type="checkbox"/>
Mounting bar (for device holder)		X346 <input type="checkbox"/>	X346 <input type="checkbox"/>	X346 <input type="checkbox"/>
Front basket		X347 <input type="checkbox"/>	X347 <input type="checkbox"/>	X347 <input type="checkbox"/>
Outdoor cover		X348 <input type="checkbox"/>	X358 <input type="checkbox"/>	X368 <input type="checkbox"/>

* Required

NEW



Stander

Prone/Supine/Multi-Position

It's finally here – the Stander that has it all. We're thrilled to introduce a total redesign of our Supine and Prone Stander families. This new Stander can be configured as supine, prone or multi-position.

All models allow hip abduction up to 30° to promote hip joint development. Independent adjustments for hip and knee flexion and leg length accommodate contractures and discrepancies. A broad range of positioning components allow users to remain comfortably upright and active for longer. The frame can be raised and lowered to position a child at eye level with peers, or in easy reach of activities.

All this function is contained within an elegant and approachable design that centers the child while opening worlds of possibility.



Find important details and studies on the therapeutic benefits of standing at:
www.rifton.com/standers

"The ability to fully customize joint positioning through the lower extremities for maximal comfort and alignment is a game changer! I have a student who only tolerated five to ten minutes of static standing in a less adjustable stander. When we tried the new Rifton Stander the student was happy and comfortable for nearly an hour, and we only got him out because we ran out of time."

*Linda K. Miller, PT, DPT
MOVE International Trainer
Prospect Center, NY*

● **Size 2 Prone Stander configuration** (\$420)

Stander features

Any of the new Stander's can be easily switched between prone and supine.



Size 2 Prone Stander

Prone pelvic harness

Headrest depth adjustment

Head laterals

Removable upper trunk support

Caregiver handle with tilt trigger

Swing-away laterals

Spacious tray for prone or supine configuration

Supine hip strap

Hip depth and flexion adjustments

Main column height adjustment

Knee angle adjustment

Independent upper and lower leg length adjustment

Quick-release magnetic sandal straps

Anti-tip caster

Sandals tilt and swivel independently

Open frame design for transfers and access to surroundings

8" locking side wheels

Size 2 Supine Stander

Multi-Position Stander



The Stander can be purchased in the prone, supine or multi-position configuration. If the multi-position configuration is ordered, the conversion between prone and supine is quick, easy and tool free.

Quick and easy conversion between prone and supine



Prone

- 1 **Add/Remove** the upper trunk support.
- 2 **Switch** the tray direction.
- 3 **Swap** the supine hip strap and prone pelvic harness.
- 4 **Add/Remove** the supine knee straps.
- 5 **Turn** the sandals 180°.



Supine

Quick, precise positioning



Advanced legs have independent leg length, hip angle and knee angle adjustments.



Up to 30° of abduction.



Tilt adjustments from 0° – 90°.



Hip abduction

Independent leg abduction, up to 30° in each leg, is now standard. It's what clinicians everywhere asked us for to promote healthy hip development.



The size 2 and 3 Stander's advanced legs have independent hip and knee angle adjustment to accommodate contractures. Separate upper and lower leg length adjustments ensure that users with leg length discrepancies are comfortably supported.



Move between eye-level and activity level within seconds.

- ▲ When the frame is lowered, users can interact at eye-level with their peers.
- ◀ With the frame raised, users can access activities and environments.

Quick, safe, easy transfers

Prone

Sit-to-stand transfers are easy in the prone configuration.



Supine



Pads and supports swing away for easy lateral transfers in the supine configuration.

Components



Knee cuffs (Prone only)

The knee cuffs provide lateral stabilization and rotational control and prevent knee hyperextension.



Upper trunk support (Prone only)

The upper trunk support provides security and safety while still allowing freedom of arm movement. It is uniquely designed to comfortably support all body types, including female users.

Note: Available for size 3 only.



Head laterals (Supine only)

The head laterals mount on the headrest to provide lateral head support. They adjust independently in height and width.



Standard

Slim cut

Butterfly harness (Supine only)

The butterfly harness can be used instead of the trunk strap for greater upper trunk stabilization. The slim cut butterfly harness (size 3 only) is an alternative especially designed for larger female clients.



Standard



Rotation control

Hip strap (Supine only)

This strap supports the user at the level of the hips. The rotation control version provides rotational stabilization.



Soft strap



Split support

Knee supports (Supine only)


The soft knee straps form around the knee and have a cutout for the patella. For more rigid support, choose the adjustable split knee supports which swing away for easy loading.





Trunk strap

The trunk strap supports the user's chest. The rotation control version wraps around the user and provides rotational stabilization.



Leg types

Standard legs allow for hip abduction, and independent leg length adjustments. Advanced legs are optional on sizes 2 and 3 and include hip and knee flexion in both prone and supine configurations.



Tray

The tray can be used in prone and supine configuration. Its position and angle adjust easily, and it swings away for transfer.



Additional trunk laterals

The laterals attach at chest or hip level and swing away for transfer. The pads rotate for individual height adjustment.



Medial/lateral thigh supports

The medial/lateral thigh supports provide abduction or adduction. The mounting bracket is off-center, so the pad has two possible height positions depending which side it is installed on.




Sandal lift kit

The smallest users may require the S409 sandal lift kit for best positioning.

Note: Available for size 1 only.



Stander dimensions

User dimensions (inches)	S410 Size 1	S420 Size 2	S430 Size 3
Height	28–42*	38–53	48–65
<div>  <p>Key user dimension: height Select the appropriate stander by the user's overall height. Choose the model that allows for growth. *The smallest users may require the S409 Sandal lift kit for best positioning.</p> <p>Important: User's weight must not exceed the maximum working load.</p> </div>			
Item dimensions (inches)	S410 Size 1	S420 Size 2	S430 Size 3
Base length x width	32½ x 21½	39 x 27	43 x 29
Height of horizontal body support above floor	22–28	22½–36½	23½–38
Sandal to knee height	6¾–11	10–15¼	12¼–19
Knee to hip height	6¼–10½	8½–13½	12–17¼
Sandal to top of headrest	31½–43	41–55	49–66½
Width between trunk laterals	5½–10	7–11½	9–14
Width between medial/lateral thigh supports	2½–4	3¼–5	4–5½
Basic item weight PRONE (lb)	47	72	104
Basic item weight SUPINE (lb)	52	78	115
Max. working load (lb)	75	100	185



New! Size 3 Stander at its smallest and largest settings

2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/standers>



			S410 size 1	S420 size 2	S430 size 3
* Frame			S411 <input type="checkbox"/>	S421 <input type="checkbox"/>	S431 <input type="checkbox"/>
* Color			Blue <input type="checkbox"/>	Blue <input type="checkbox"/>	Blue <input type="checkbox"/>
			Red <input type="checkbox"/>	Red <input type="checkbox"/>	Red <input type="checkbox"/>
* CHOOSE CONFIGURATION	Prone (with pelvic harness) HCPCS code: E0638		S412 <input type="checkbox"/>	S422 <input type="checkbox"/>	S432 <input type="checkbox"/>
	New! Prone upper trunk support (recommended)		N/A	N/A	S408 <input type="checkbox"/>
	Prone knee cuffs (pair)		S485 <input type="checkbox"/>	S485 <input type="checkbox"/>	S486 <input type="checkbox"/>
	Supine (with upper trunk support) HCPCS code: E0638		S413 <input type="checkbox"/>	S423 <input type="checkbox"/>	S433 <input type="checkbox"/>
	Head laterals (pair)	CHOOSE	Small <input type="checkbox"/>	S497 <input type="checkbox"/>	N/A
			Large <input type="checkbox"/>	N/A	S483 <input type="checkbox"/>
	Butterfly harness	CHOOSE	Standard <input type="checkbox"/>	S456 <input type="checkbox"/>	S458 <input type="checkbox"/>
			Slim-cut <input type="checkbox"/>	N/A	S459 <input type="checkbox"/>
	* Hip strap	CHOOSE	Standard <input type="checkbox"/>	S472 <input type="checkbox"/>	S474 <input type="checkbox"/>
			Rotation control <input type="checkbox"/>	S476 <input type="checkbox"/>	S478 <input type="checkbox"/>
	* Knee supports	CHOOSE	Soft straps (pair) <input type="checkbox"/>	S401 <input type="checkbox"/>	S403 <input type="checkbox"/>
			Split supports (pair) <input type="checkbox"/>	N/A	S488 <input type="checkbox"/>
	Multi-Position (with head support, pelvic harness) HCPCS code: E0641		S414 <input type="checkbox"/>	S424 <input type="checkbox"/>	S434 <input type="checkbox"/>
	Head laterals	CHOOSE	Small <input type="checkbox"/>	S497 <input type="checkbox"/>	N/A
			Large <input type="checkbox"/>	N/A	S483 <input type="checkbox"/>
	Butterfly harness	CHOOSE	Standard <input type="checkbox"/>	S456 <input type="checkbox"/>	S458 <input type="checkbox"/>
			Slim-cut <input type="checkbox"/>	N/A	S459 <input type="checkbox"/>
	* Hip strap	CHOOSE	Standard <input type="checkbox"/>	S472 <input type="checkbox"/>	S474 <input type="checkbox"/>
		Rotation control <input type="checkbox"/>	S476 <input type="checkbox"/>	S478 <input type="checkbox"/>	
* Knee supports	CHOOSE	Soft straps (pair) <input type="checkbox"/>	S401 <input type="checkbox"/>	S403 <input type="checkbox"/>	
		Split supports (pair) <input type="checkbox"/>	N/A	S488 <input type="checkbox"/>	
New! Prone upper trunk support (recommended)		N/A	N/A	S408 <input type="checkbox"/>	
Prone knee cuffs (pair)		S485 <input type="checkbox"/>	S485 <input type="checkbox"/>	S486 <input type="checkbox"/>	
* Trunk laterals	CHOOSE	Small <input type="checkbox"/>	S494 <input type="checkbox"/>	N/A	
		Large <input type="checkbox"/>	N/A	S495 <input type="checkbox"/>	
* Trunk strap	CHOOSE	Standard <input type="checkbox"/>	S462 <input type="checkbox"/>	S464 <input type="checkbox"/>	
		Rotation control <input type="checkbox"/>	S466 <input type="checkbox"/>	S468 <input type="checkbox"/>	
* Leg type	CHOOSE	Standard <input type="checkbox"/>	S415 <input type="checkbox"/>	S435 <input type="checkbox"/>	
		Advanced <input type="checkbox"/>	N/A	S436 <input type="checkbox"/>	
Tray			S491 <input type="checkbox"/>	S491 <input type="checkbox"/>	S491 <input type="checkbox"/>
Additional trunk laterals	CHOOSE	Small <input type="checkbox"/>	S494 <input type="checkbox"/>	N/A	
		Large <input type="checkbox"/>	N/A	S495 <input type="checkbox"/>	
Medial/lateral thigh supports (pair)	CHOOSE	Small <input type="checkbox"/>	S482 <input type="checkbox"/>	N/A	
		Large <input type="checkbox"/>	N/A	S483 <input type="checkbox"/>	
Additional medial/lateral thigh supports (pair)	CHOOSE	Small <input type="checkbox"/>	S482 <input type="checkbox"/>	N/A	
		Large <input type="checkbox"/>	N/A	S483 <input type="checkbox"/>	
Size 1 sandal lift kit			S409 <input type="checkbox"/>	NA	NA
Headrest adapter plate kit			N/A	S427 <input type="checkbox"/>	S427 <input type="checkbox"/>

* Required

The HCPCS codes indicated above are suggestions only, based on knowledge of our products and the HCPCS definitions established by CMS. It is the responsibility of the CRT provider to determine the HCPCS code most appropriate for each circumstance. Actual coding and coverage varies by payer; some may accept or require alternative HCPCS codes, including miscellaneous codes, to ensure access for their beneficiaries.



Mobile Stander

Standing skills, social skills and the freedom to experience the world upright: the Mobile Stander provides these benefits and more. This user-propelled standing device gives new independence to wheelchair-bound clients. It helps strengthen critical motor skills so a client can progress toward independent standing. In addition, it enables easy, upright interaction with peers and activities, providing enrichment opportunities and just plain fun.

Why is standing so important?

Research indicates that standing:

- Improves bone density
- Prolongs stretch for tight muscles at hips, knees and ankles
- Improves pulmonary and digestive function
- Enables eye-level social interaction
- Creates access to more activities and experiences
- Supports self-confidence and cognitive growth



Find letters of medical necessity
and informative articles at:
www.rifton.com/mobilestander

"Nate" has gained great freedom by using the Mobile Stander for his upright mobility. Previously wheelchair dependent, he now moves freely in the classroom and hallway. His arms easily propel the stander, allowing him to interact with his peers during classroom activities – even his adaptive PE class."

*Stephanie Heiser, PT
West Central Joint Services
Indianapolis, IN*

Mobile Stander (K150)

DESIGNED FOR USE WITH THE
MOVE[®]
PROGRAM

Mobile Stander features



All four sizes are available in three colors: pink, blue and lime.

Have fun while developing new skills.

Because the Mobile Stander encourages vertical posturing with weight-bearing and balance challenges similar to those experienced with independent standing, it represents a step up therapeutically from the Prone Stander. This is especially true if the device is used in reverse. With its large wheels, the Mobile Stander allows self-propelled exploration and freedom. When the large wheels are removed, the stander gives wide-open access to tables or countertops. Users interact with their peers and their environments, unaware that they are developing weight-shifting, balance and postural control at the same time.

Why use a Mobile Stander?

- **For social interaction:** Users are placed in an upright and mobile position, which facilitates eye-level interaction with their peers and participation in class activities.
- **For independent mobility:** The side wheels give the user control and opportunities to explore independently.
- **To improve weight-bearing:** The Mobile Stander can support some or all of a user's weight, providing opportunities to develop weight-bearing ability.
- **To improve weight-shifting and postural control:** The self-propelled mobility offered by the Mobile Stander stimulates postural righting reactions and weight-shifting.
- **To improve trunk control:** The adjustable body support on the Mobile Stander can be lowered to promote independent trunk control. Additionally, the Mobile Stander can be used in the reverse position to further challenge trunk control.



Remove the large wheels to position the stander close to the table for activities.



For users with better weight bearing ability, standing in reverse position enables better access and free arm movement.



Supported by the Mobile Stander, users can participate in a variety of activities.



Large brake handles are conveniently located for user operation.



The wide, accessible deck makes transfers easy.

Components



Large wheels

Wheels pop on and off with the push of a button. Wheel locks provide security, spoke guards protect fingers, and hand rims keep hands clean.



Mounting bracket

The mounting bracket secures arm prompts, hand loops or a communication tray.



Arm prompts

Arm prompts provide fully adjustable support for users with poor head or shoulder control.

(Require mounting bracket.)



Hand loops

Secure and adjustable, hand loops boost a client's sense of stability and confidence while moving.

(Require mounting bracket.)



Communication tray

The communication tray is fully adjustable and ideal for a communication device.

(Requires mounting bracket.)

Inside dimensions: 8½" x 11"

Max. working load: 10 lb



Components (continued)



Additional seat pad

Available in two sizes, the additional seat pad adds extra support to the back.

Small: 6" x 7"

Large: 8" x 11"



Sandals and wedges

Sandals position the feet and rotate or slide to adjust. Add wedges for additional heel or toe elevation of up to 1¾".

Small: 4" x 6" **med:** 4½" x 8½"

large: 5" x 10½"



Conversion kit

The conversion kit converts the K110 mini stander to the K130 small for less than one quarter the cost of a new stander.




2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/mobilestander>



User dimensions (inches)	K110 mini	K130 small	K150 med.	K170 large
Height	25–32	30–40	37–52	48–65
 Key user dimension: height Select the appropriate Mobile Stander by the user's overall height. Choose the model that allows for growth. Important: User's weight must not exceed the maximum working load.				
Item dimensions (inches)	K110 mini	K130 small	K150 med.	K170 large
Overall length and width	25 x 25	25 x 25½	32 x 29	39 x 33½
Overall height	22½–28	23½–30	31–39	37½–49
Width without large wheels	19½	19½	24½	28¾
Wheel diameter	20	20	27	35
Width of body support	7–10	7–10	9–12	10–14
Height of body support	16½–22	22–29	29–38	36–48
Item weight (lb)	28	30	40	65
Max. working load (lb)	50	50	120	175



The **conversion kit** converts the K110 mini stander to the K130 small. It includes the deck and complete body support of the K130. Request from customer service.

Conversion kit K116

		K110 mini	K130 small	K150 medium	K170 large	
<div>* Mobile Stander frame includes body support with padding, seat pad, straps and fleece.</div> <div>Specify color: pink, blue or lime</div>		K101 <input type="checkbox"/>	K103 <input type="checkbox"/>	K105 <input type="checkbox"/>	K107 <input type="checkbox"/>	
		Pink <input type="checkbox"/>	Pink <input type="checkbox"/>	Pink <input type="checkbox"/>	Pink <input type="checkbox"/>	
		Blue <input type="checkbox"/>	Blue <input type="checkbox"/>	Blue <input type="checkbox"/>	Blue <input type="checkbox"/>	
		Lime <input type="checkbox"/>	Lime <input type="checkbox"/>	Lime <input type="checkbox"/>	Lime <input type="checkbox"/>	
Wheels (pair) (include brakes)		K113 <input type="checkbox"/>	K113 <input type="checkbox"/>	K115 <input type="checkbox"/>	K117 <input type="checkbox"/>	
Mounting bracket		K133 <input type="checkbox"/>	K133 <input type="checkbox"/>	K173 <input type="checkbox"/>	K173 <input type="checkbox"/>	
Arm prompts (pair) (require mounting bracket)		K512 <input type="checkbox"/>	K512 <input type="checkbox"/>	K512 <input type="checkbox"/>	K512 <input type="checkbox"/>	
Hand loops (require mounting bracket)	CHOOSE	Single	K578 <input type="checkbox"/>	K578 <input type="checkbox"/>	K578 <input type="checkbox"/>	K578 <input type="checkbox"/>
		Pair	K579 <input type="checkbox"/>	K579 <input type="checkbox"/>	K579 <input type="checkbox"/>	K579 <input type="checkbox"/>
Communication tray (requires mounting bracket)		K518 <input type="checkbox"/>	K518 <input type="checkbox"/>	K518 <input type="checkbox"/>	K518 <input type="checkbox"/>	
Additional seat pad	CHOOSE	Small	N/A	N/A	K135 <input type="checkbox"/>	K135 <input type="checkbox"/>
		Large	N/A	N/A	K155 <input type="checkbox"/>	K155 <input type="checkbox"/>
Sandals with wedges (pair)	CHOOSE	Small	K114 <input type="checkbox"/>	K114 <input type="checkbox"/>	N/A	N/A
		Medium	N/A	N/A	K154 <input type="checkbox"/>	N/A
		Large	N/A	N/A	N/A	K174 <input type="checkbox"/>

* Required



Activity Chair

In a few short years the Activity Chair has become the classroom standard for children and young adults with special positioning needs. Not only that, but parents who see what these chairs can do in school are getting them for use at home. We've also seen a growing number of speech and feeding specialists adopt this chair in their hospital-based clinics. It's safe to say the Activity Chair has truly revolutionized adaptive seating and continues to delight therapists with its versatility for people of all shapes and sizes, all conditions and special needs.



Find inservice videos, letters of medical necessity and informative articles at:
www.rifton.com/activitychair

"These chairs are the talk of the school. I've been trying as many kids as I can each day, but no one wants to give the chair back! The adjustments are fabulous, but it's how comfortable, functional, and straight the kids are in the chair that really excites us. *"*

*Judi Rogers, OTR/L
LAUSD, California*

Hi/lo Activity Chair (R870) with
contoured headrest, laterals and tray.

DESIGNED FOR USE WITH THE
MOVE
PROGRAM

Activity Chair features



Spring option
The springs on the standard base (in both backrest and seat) allow for self-generated, dynamic motion—ideal for clients with autism. The spring column can be locked when not in use.

Standard base



Caster swivel lock
The swivel lock prevents the chair from drifting sideways when it is pushed for longer distances.



Adjustable back



Tilt-in-space



Hi/lo base



Adjust while in use
The Activity Chair can be easily adjusted without tools, with a client in the chair. This saves time and makes adjustments much simpler to gauge.



Adjustable back



Tilt-in-space

Easy height adjustment
The large and medium hi/lo bases are height adjustable with the foot pump.



Footboard features



Knee angle



Footplate angle



Flip up footboard

Perfect for the MOVE™ program



When used with forearm prompts, the Activity Chair becomes a forward-leaning instructional seating device as used in the MOVE™ program.

Transfers made easy



Remove the armrests and raise the hi/lo chair to the ideal transfer height for secure, safe lateral moves.



Flip the footboard up and tilt the chair forward for easy sit-to-stand transfers.



Lower the hi/lo chair until the footboard is flat on the floor. Because the footboard is strong enough for stand and pivot transfers, clients can assist in their own transfers.

A chair for everything

The Activity Chair's tilt-in-space feature allows easy transitions between forward leaning for task participation and unimpeded interaction, and reclining for rest or a higher level of support.



All Rifton Activity Chairs have tilt-in-space.

Whether you choose the standard or hi/lo base, you'll get Rifton's quick-adjusting, tilt-in-space feature. The standard base tilts 15° forward and 15° back, while the hi/lo tilts 15° forward and 25° back. Tilt-in-space is a valuable feature because it facilitates sit-to-stand and offers a variety of resting positions. Best of all, our tilt-in-space can be activated while your client is in the chair.





This medium standard chair is in posterior tilt to provide support for a student with poor head control.



The tilt-in-space feature accommodates users who need a higher degree of head support.

Infinitely adjustable for every need

The favorite of feeding clinics

Rifton's Activity Chair can be either a basic chair for a client who needs just a little support, or it can offer significant support for more involved individuals. The hi/lo base allows the client to be fed in a quiet, individual setting or at the family dinner table. Because you can measure the angle of the tilt-in-space and backrest recline, home caregivers can exactly duplicate the angles recommended by therapists.

Each size of Activity Chair has so much growth potential that it will provide many years of service. And it is easy to clean—essential for a feeding chair. The tray clips on and off with one hand.

Quickly adjustable tilt-in-space during feeding is beneficial. Therapists may start out the session doing oral motor exercise with the client upright and then tilt back to reduce the need for trunk control. They can then adjust the headrest forward to keep the head in a neutral position.

All these features make it the ideal feeding chair.



From an activity at counter height to a low-table group activity, the hi/lo base chair makes participation easy.

Components



Choice of arm supports

Armrests provide lateral boundaries as well as upper extremity weight-bearing assist to aid trunk control. Rifton's armrests can be raised or lowered individually and can be set at angles from horizontal to 30° up or down. The tray attaches to the armrests.

small 2¼" x 8¾", **large** 3" x 12"

Forearm prompts facilitate head and trunk control while sitting, and secure distal placement of upper extremities. This enables the use of the pelvic girdle and trunk core muscles for improved postural stabilization and strengthening. Rifton's forearm prompts are fully adjustable for optimal positioning.

Padded area: small 4" x 7", large 4½" x 8"

Range of adjustment from elbow to fist: small 8" – 12½", large 10½" – 16"



Choice of adjustable legs

Adjustable legs (long and short): Height-adjustable in 1" increments, these legs allow you to position your client at optimal height. The grippy tips of the stationary legs keep the chair from sliding and moving across the floor, even with dynamic rocking.

Adjustable legs with casters (long and short): Height-adjustable in 1" increments, these legs allow you to position your client at optimal height. The casters make your standard base chair easy to move when transitioning from one classroom to another.



Pads: Comfortable seat and backrest pads are essential for providing cushioned support and preventing pressure sores. The backrest and seat pads are made of polyurethane foam covered with a cleanable, healthcare-grade polyurethane-coated fabric. The seat pad can be turned front to back for longer wear. Pads are available in six colors.



Components (continued)



Headrests optimally position clients with poor head control. Choose a flat, contoured or winged headrest. The winged headrest adjusts from almost flat to 90°. All headrests adjust front to back and up and down using Rifton's unique two-knob adjustment system.

Flat and contoured: 9" x 5"

Winged: 16" x 5" when flat to 6" between wings at 90°



Laterals: Necessary for clients who need good upper body support, laterals are important for proper alignment of the spine. Laterals have independent vertical, lateral and angle adjustment.

Small 5" x 4", **large** 6½" x 5"



Laterals with chest strap: With the addition of a wide chest strap to the laterals, clients with limited upper torso control gain added trunk support and security.



Push handles: Recommended for all chairs with wheels, push handles make it easy for a caregiver to maneuver and move a client in the Activity Chair from one place to another.



Tray: The tray attaches to the armrests and provides a work, play and feeding surface with raised edges. It can be set at angles ranging from horizontal to 30° up or down, and can be raised or lowered to meet your client's needs.

Small 19" wide x 18" deep, **medium** 22" wide x 20" deep

Large 25½" wide x 22½" deep



Handhold: The handhold attaches to the tray for arm and hand positioning. Handholds are especially useful for clients with spastic muscle tone and are helpful for proper joint alignment.





Chest strap: The wide and comfortably padded chest strap provides added trunk support.

Max. circumference: small 34", medium 40", large 52"

Width of strap: small 3", medium 3¾", large 4"



Butterfly harness: The butterfly harness provides maximum anterior support giving security, safety and freedom of movement.

Slim-cut butterfly harness performs the same positioning function as the regular butterfly harness. The slim cut butterfly harness is an alternative especially designed for larger female clients.



Thigh belt: The thigh belt provides knee adduction and additional support and security for the client's thighs.

Max. circumference: small 32", medium 41", large 52"



Pelvic harness: An alternative to a typical seat belt, Rifton's unique pelvic harness firmly positions a client's pelvis by securing hips and upper thighs without pressure on the abdomen. The pelvic harness provides a stable, comfortable base for postural control and encourages proper alignment of the spine. It also controls extreme extensor spasticity that can result in sacral sitting.

Max. thigh circumference: small 22", medium 25", large 31"



Hip guides attach to the arm supports. Placed at the sides of the pelvis to align a client's torso, they provide maximum support of trunk control while sitting. Hip guides can also be important for proper alignment of the spine. They independently adjust vertically and horizontally. For transfers, hip guides remove with the arm supports.

Dimensions: small 3¼" x 5½", large 4" x 9¼"



Components (continued)



Abductor: The abductor separates the knees and helps to control spasticity that causes leg scissoring. The abductor can be adjusted forward and back in three positions.

Dimensions: small 3"x 6"x 3½", large 4"x 7½"x 4"



Adductors: Adductors provide a comfortable lateral boundary for a client's knees to maintain proper body and joint alignment.

One size only: 5" high x 6" long



Leg prompts are helpful for clients with limited muscle control. They maintain body and joint alignment when sitting by supporting each leg individually with a strap that passes around the front. Leg prompts can be adjusted in and out and laterally.

Max. circumference: small 14", medium 16", large 18"



Footboard: The footboard facilitates weight-bearing through the legs and feet during functional sitting activities, and can be used with sandals or ankle straps to meet specific positioning needs. The footboard can flip up, swing back out of the way for sit-to-stand transfers, or can be used as a step for transfers.



Ankle straps (require footboard) are helpful for clients with limited muscle control and excursion movement. They allow a moderate range of movement while improving independence in postural control.

Note: Ankle straps cannot be used together with sandals.

Max. circumference: small 12", large 16½"



Sandals (require footboard): For clients who are unable to control leg movement, sandals adjust to position client's feet correctly for optimal body alignment.

Note: Sandals cannot be used together with Ankle straps.


Small 3"x 7", **medium** 4"x 9", **large** 5"x 10½"





Wedges (require sandals) can accommodate clients with specific ankle positioning needs or uneven leg lengths. Use them to raise heels or toes, or combine two wedges under one sandal to add flat lift.

Thickness: small 1", medium 1¼", large 1½"



Lumbar and seat support kit: This kit lets you adapt the contours of the seat and back for a specific client's needs. The foam inserts can be cut to length and attached where needed under the seat and back pads with adhesive-backed hook and loop strips.



Backrest filler pad fills the space between the bottom edge of the backrest and the top edge of the seat when backrest is in one of the top three positions. It provides additional lower back support.



Mini kit: Consisting of a backrest insert pad and a mini trunk support, the mini kit supports children as short as 28" tall. It allows you to begin positioning children correctly at an earlier age, and continue to use the small chair for years before it's outgrown.

Dimensions: Trunk support max. circumference is 26", backrest pad is 1" thick



Whitmyer adapter: Some Whitmyer headrests can be installed on all Rifton Activity Chairs. This adapter gives you the option to use a Whitmyer M2100-WB headrest mounting bracket and the Whitmyer Onyx headrest support system.

Note: Rifton supplies only the adapter and T20 power tip. Whitmyer mounting brackets and headrests must be purchased from a Whitmyer supplier.



Room to grow

Small chair with mini kit at its smallest dimensions

- 1 Backrest height 12½"
- 2 Trunk support width 5½"
- 3 Seat depth 7"
- 4 Seat width 7"
- 5 Armrest height above seat 5"
- 6 Seat height above footboard 7"




Small chair at its largest dimensions

- 1 Backrest height 15½"
- 2 Distance between laterals 11½"
- 3 Seat depth 12"
- 4 Seat width 12"
- 5 Armrest height above seat 7½"
- 6 Seat height above footboard 12"




Small standard base
R820 Rifton Activity Chair

User dimensions (inches)	
Height with mini kit	32–48 28–38
 Key user dimension: height The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth. Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.	
Item dimensions (inches)	
Frame width	R820 small Standard base
	short legs: 21 long legs: 23
	short legs w/ casters: 22½ long legs w/ casters: 23½
Seat height above floor	short legs: 9½–12½ long legs: 18½–21½
	short legs w/ casters: 13½–16½ long legs w/ casters: 18½–21½
Seat angle (tilt-in-space)–degrees	15° forward, 15° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	7–12
Seat width with hip guides	7–9
without hip guides	12
Seat depth	8–12
with mini kit	7–11
Armrest height above seat	5–7½
Trunk support width	5½–11½
Backrest height	12½–15½
Headrest height above seat	14½–21
Max. working load (lb)	75



Small hi/lo base
R830 Rifton Activity Chair

User dimensions (inches)	
Height with mini kit	32–48 28–38
 Key user dimension: height The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth. Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.	
Item dimensions (inches)	
Frame width	R830 small Hi/lo base
Seat height above floor	26 10–25
Seat angle (tilt-in-space)–degrees	15° forward, 25° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	7–12
Seat width with hip guides	7–9
without hip guides	12
Seat depth	8–12
with mini kit	7–11
Armrest height above seat	5–7½
Trunk support width	5½–11½
Backrest height	12½–15½
Headrest height above seat	14½–21
Max. working load (lb)	75

2025 order form for small

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/activitychair>



		Standard R820 small		Hi/lo R830 small			
* Seat and back includes seatbelt (Hi/lo includes footboard and push handles)	CHOOSE	Adjustable	R821	<input type="checkbox"/>	R831	<input type="checkbox"/>	
		Adjustable w/ back spring	R822	<input type="checkbox"/>	R832	<input type="checkbox"/>	
* Base	CHOOSE	Without spring	R823	<input type="checkbox"/>	R833	<input type="checkbox"/>	
		With spring	R824	<input type="checkbox"/>	N/A		
* Arm supports (pair)	CHOOSE	Armrests	R827	<input type="checkbox"/>	R827	<input type="checkbox"/>	
		Forearm prompts	R809	<input type="checkbox"/>	R809	<input type="checkbox"/>	
* Adjustable legs	CHOOSE	Short	R803	<input type="checkbox"/>	N/A		
		Long	R894	<input type="checkbox"/>	N/A		
		Short with casters	R805	<input type="checkbox"/>	N/A		
		Long with casters	R896	<input type="checkbox"/>	N/A		
* Pads	CHOOSE	Tan	R815	<input type="checkbox"/>	R815	<input type="checkbox"/>	
		Blue	R816	<input type="checkbox"/>	R816	<input type="checkbox"/>	
		Red	R817	<input type="checkbox"/>	R817	<input type="checkbox"/>	
		Pink	R971	<input type="checkbox"/>	R971	<input type="checkbox"/>	
		Purple	R972	<input type="checkbox"/>	R972	<input type="checkbox"/>	
		Green	R973	<input type="checkbox"/>	R973	<input type="checkbox"/>	
Headrest	CHOOSE	Contoured	R897	<input type="checkbox"/>	R897	<input type="checkbox"/>	
		Flat	R898	<input type="checkbox"/>	R898	<input type="checkbox"/>	
		Adjustable winged	R881	<input type="checkbox"/>	R881	<input type="checkbox"/>	
Laterals (pair)	CHOOSE	Small	R828	<input type="checkbox"/>	R828	<input type="checkbox"/>	
		Small with chest strap	R819	<input type="checkbox"/>	R819	<input type="checkbox"/>	
Push handles (recommended for all chairs with wheels)			R878	<input type="checkbox"/>	Included		
Tray (requires armrests)			R667	<input type="checkbox"/>	R667		<input type="checkbox"/>
Handhold			R649	<input type="checkbox"/>	R649		<input type="checkbox"/>
Chest strap (wide)			R802	<input type="checkbox"/>	R802		<input type="checkbox"/>
Butterfly harness			R834	<input type="checkbox"/>	R834		<input type="checkbox"/>
Thigh belt			R811	<input type="checkbox"/>	R811		<input type="checkbox"/>
Pelvic harness			R845	<input type="checkbox"/>	R845		<input type="checkbox"/>
Hip guides (pair)			R814	<input type="checkbox"/>	R814		<input type="checkbox"/>
Abductor			R884	<input type="checkbox"/>	R884		<input type="checkbox"/>
Adductors (pair)			R892	<input type="checkbox"/>	R892		<input type="checkbox"/>
Leg prompt			R854	<input type="checkbox"/>	R854		<input type="checkbox"/>
Footboard (recommended for chairs with long legs)			R847	<input type="checkbox"/>	Included		
Mini kit (backrest insert and trunk support)			R812	<input type="checkbox"/>	R812		<input type="checkbox"/>
Ankle straps (pair)			R899	<input type="checkbox"/>	R899		<input type="checkbox"/>
Sandals (pair)			R944	<input type="checkbox"/>	R944		<input type="checkbox"/>
Wedges (pair, require sandals)			R697	<input type="checkbox"/>	R697		<input type="checkbox"/>
Lumbar and seat support kit			R886	<input type="checkbox"/>	R886		<input type="checkbox"/>
Backrest filler pad			R849	<input type="checkbox"/>	R849		<input type="checkbox"/>
Whitmyer headrest adapter			R804	<input type="checkbox"/>	R804		<input type="checkbox"/>

* Required

Room to grow

Medium chair at its smallest dimensions

- 1 Backrest height 15½"
- 2 Distance between laterals 6½"
- 3 Seat depth 11"
- 4 Seat width 8½"
- 5 Armrest height above seat 7"
- 6 Seat height above footboard 7¾"




Medium chair at its largest dimensions

- 1 Backrest height 19"
- 2 Distance between laterals 12"
- 3 Seat depth 16"
- 4 Seat width 14"
- 5 Armrest height above seat 10½"
- 6 Seat height above footboard 15¼"




Medium standard base
R840 Rifton Activity Chair

User dimensions (inches)	
Height	40–56
 Key user dimension: height The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth. Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.	
Item dimensions (inches)	R840 medium Standard base
Frame width	short legs: 23¾ long legs: 24½
	short legs w/ casters: 24½ long legs w/ casters: 25½
Seat height above floor	short legs: 12½–16½ long legs: 19–23
	short legs w/ casters: 16–20 long legs w/ casters: 19–23
Seat angle (tilt-in-space)–degrees	15° forward, 15° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	7¾–15¼
Seat width with hip guides without hip guides	8½–11½ 14
Seat depth	11–16
Armrest height above seat	7–10½
Distance between laterals	6½–12
Backrest height	15½–19
Headrest height above seat	17½–24½
Max. working load (lb)	150



Medium hi/lo base
R850 Rifton Activity Chair

User dimensions (inches)	
Height	40–56
 Key user dimension: height The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth. Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.	
Item dimensions (inches)	R850 medium Hi/lo base
Frame width	27½
Seat height above floor	12–23
Seat angle (tilt-in-space)–degrees	15° forward, 25° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	7¾–15¼
Seat width with hip guides without hip guides	8½–11½ 14
Seat depth	11–16
Armrest height above seat	7–10½
Distance between laterals	6½–12
Backrest height	15½–19
Headrest height above seat	17½–24½
Max. working load (lb)	150

2025 order form for medium

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/activitychair>



		Standard R840 medium	Hi/lo R850 medium
* Seat and back includes seatbelt (Hi/lo includes footboard and push handles)	CHOOSE Adjustable	R841 <input type="checkbox"/>	R851 <input type="checkbox"/>
	Adjustable w/ back spring	R842 <input type="checkbox"/>	R852 <input type="checkbox"/>
* Base	CHOOSE Without spring	R843 <input type="checkbox"/>	R853 <input type="checkbox"/>
	With spring	R844 <input type="checkbox"/>	N/A
* Arm supports (pair)	CHOOSE Armrests	R868 <input type="checkbox"/>	R868 <input type="checkbox"/>
	Forearm prompts	R869 <input type="checkbox"/>	R869 <input type="checkbox"/>
* Adjustable legs	CHOOSE Short	R893 <input type="checkbox"/>	N/A
	Long	R894 <input type="checkbox"/>	N/A
	Short with casters	R895 <input type="checkbox"/>	N/A
	Long with casters	R896 <input type="checkbox"/>	N/A
* Pads	CHOOSE Tan	R835 <input type="checkbox"/>	R835 <input type="checkbox"/>
	Blue	R836 <input type="checkbox"/>	R836 <input type="checkbox"/>
	Red	R837 <input type="checkbox"/>	R837 <input type="checkbox"/>
	Pink	R974 <input type="checkbox"/>	R974 <input type="checkbox"/>
	Purple	R975 <input type="checkbox"/>	R975 <input type="checkbox"/>
	Green	R976 <input type="checkbox"/>	R976 <input type="checkbox"/>
Headrest	CHOOSE Contoured	R897 <input type="checkbox"/>	R897 <input type="checkbox"/>
	Flat	R898 <input type="checkbox"/>	R898 <input type="checkbox"/>
	Adjustable winged	R881 <input type="checkbox"/>	R881 <input type="checkbox"/>
Laterals (pair)	CHOOSE Small	R828 <input type="checkbox"/>	R828 <input type="checkbox"/>
	Small with chest strap	R829 <input type="checkbox"/>	R829 <input type="checkbox"/>
	Large	R838 <input type="checkbox"/>	R838 <input type="checkbox"/>
Push handles (recommended for all chairs with wheels)		R878 <input type="checkbox"/>	Included
Tray (requires armrests)		R668 <input type="checkbox"/>	R668 <input type="checkbox"/>
Handhold		R649 <input type="checkbox"/>	R649 <input type="checkbox"/>
Chest strap (wide)		R863 <input type="checkbox"/>	R863 <input type="checkbox"/>
Butterfly harness	CHOOSE Regular	R864 <input type="checkbox"/>	R864 <input type="checkbox"/>
	Slim cut	R882 <input type="checkbox"/>	R882 <input type="checkbox"/>
Thigh belt		R865 <input type="checkbox"/>	R865 <input type="checkbox"/>
Pelvic harness		R866 <input type="checkbox"/>	R866 <input type="checkbox"/>
Hip guides (pair)		R867 <input type="checkbox"/>	R867 <input type="checkbox"/>
Abductor	CHOOSE Small	R884 <input type="checkbox"/>	R884 <input type="checkbox"/>
	Large	R891 <input type="checkbox"/>	R891 <input type="checkbox"/>
Adductors (pair)		R892 <input type="checkbox"/>	R892 <input type="checkbox"/>
Leg prompt		R858 <input type="checkbox"/>	R858 <input type="checkbox"/>
Footboard (recommended for chairs with long legs)		R848 <input type="checkbox"/>	Included
Ankle straps (pair)		R899 <input type="checkbox"/>	R899 <input type="checkbox"/>
Sandals (pair)		R954 <input type="checkbox"/>	R954 <input type="checkbox"/>
Wedges (pair, require sandals)		R698 <input type="checkbox"/>	R698 <input type="checkbox"/>
Lumbar and seat support kit		R887 <input type="checkbox"/>	R887 <input type="checkbox"/>
Backrest filler pad		R849 <input type="checkbox"/>	R849 <input type="checkbox"/>
Whitmyer headrest adapter		R804 <input type="checkbox"/>	R804 <input type="checkbox"/>
Directional assist wheel retrofit kit		N/A	R965 (1 kit) <input type="checkbox"/> R966 (5 kits) <input type="checkbox"/>

* Required

Room to grow

Large chair at its smallest dimensions

- 1 Backrest height 19"
- 2 Distance between laterals 9½"
- 3 Seat depth 15"
- 4 Seat width 11"
- 5 Armrest height above seat 7"
- 6 Seat height above footboard 11¼"



Large chair at its largest dimensions


- 1 Backrest height 24"
- 2 Distance between laterals 14"
- 3 Seat depth 20"
- 4 Seat width 17"
- 5 Armrest height above seat 10½"
- 6 Seat height above footboard 21¼"



Large standard base
R860 Rifton Activity Chair

User dimensions (inches)

Height 50–74



Key user dimension: height

The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth.

Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.

Item dimensions (inches)

R860 large Standard base

Frame width	short legs: 26¾ long legs: 26¾
	short legs w/ casters: 27¾ long legs w/ casters: 27¾
Seat height above floor	short legs: 16½–20½ long legs: 20–24
	short legs w/ casters: 16½–20½ long legs w/ casters: 20–24
Seat angle (tilt-in-space)–degrees	15° forward, 15° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	11¼–21¼
Seat width with hip guides without hip guides	11–14 17
Seat depth	15–20
Armrest height above seat	7–10½
Distance between laterals	9½–14
Backrest height	19–24
Headrest height above seat	19½–29½
Max. working load (lb)	250



Large hi/lo base
R870 Rifton Activity Chair

User dimensions (inches)

Height 50–74



Key user dimension: height

The user's overall height is a general guide to help you select the appropriate chair. Choose the model that allows for growth.

Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.

Item dimensions (inches)

R870 large Hi/lo base

Frame width	29¾
Seat height above floor	16–24
Seat angle (tilt-in-space)–degrees	15° forward, 25° back
Backrest angle–degrees	5° forward, 20° back
Footboard knee angle–degrees	45°–110°
Seat height above footboard	11¼–21¼
Seat width with hip guides without hip guides	11–14 17
Seat depth	15–20
Armrest height above seat	7–10½
Distance between laterals	9½–14
Backrest height	19–24
Headrest height above seat	19½–29½
Max. working load (lb)	250

2025 order form for large

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/activitychair>



		Standard R860 large	Hi/lo R870 large
* Seat and back includes seatbelt (Hi/lo includes footboard and push handles)	CHOOSE Adjustable	R861 <input type="checkbox"/>	R871 <input type="checkbox"/>
	Adjustable w/ back spring	R862 <input type="checkbox"/>	R872 <input type="checkbox"/>
* Base	CHOOSE Without spring	R873 <input type="checkbox"/>	R883 <input type="checkbox"/>
	With spring	R874 <input type="checkbox"/>	N/A
* Arm supports (pair)	CHOOSE Armrests	R868 <input type="checkbox"/>	R868 <input type="checkbox"/>
	Forearm prompts	R879 <input type="checkbox"/>	R879 <input type="checkbox"/>
* Adjustable legs	CHOOSE Short	R808 <input type="checkbox"/>	N/A
	Long	R894 <input type="checkbox"/>	N/A
	Short with casters	R895 <input type="checkbox"/>	N/A
	Long with casters	R896 <input type="checkbox"/>	N/A
* Pads	CHOOSE Tan	R875 <input type="checkbox"/>	R875 <input type="checkbox"/>
	Blue	R876 <input type="checkbox"/>	R876 <input type="checkbox"/>
	Red	R877 <input type="checkbox"/>	R877 <input type="checkbox"/>
	Pink	R977 <input type="checkbox"/>	R977 <input type="checkbox"/>
	Purple	R978 <input type="checkbox"/>	R978 <input type="checkbox"/>
	Green	R979 <input type="checkbox"/>	R979 <input type="checkbox"/>
Headrest	CHOOSE Contoured	R897 <input type="checkbox"/>	R897 <input type="checkbox"/>
	Flat	R898 <input type="checkbox"/>	R898 <input type="checkbox"/>
	Adjustable winged	R881 <input type="checkbox"/>	R881 <input type="checkbox"/>
Laterals (pair)	CHOOSE Small	R828 <input type="checkbox"/>	R828 <input type="checkbox"/>
	Large	R838 <input type="checkbox"/>	R838 <input type="checkbox"/>
	Large with chest strap	R839 <input type="checkbox"/>	R839 <input type="checkbox"/>
Push handles (recommended for all chairs with wheels)		R878 <input type="checkbox"/>	Included
Tray (requires armrests)		R669 <input type="checkbox"/>	R669 <input type="checkbox"/>
Handhold		R649 <input type="checkbox"/>	R649 <input type="checkbox"/>
Chest strap (wide)		R807 <input type="checkbox"/>	R807 <input type="checkbox"/>
Butterfly harness	CHOOSE Regular	R889 <input type="checkbox"/>	R889 <input type="checkbox"/>
	Slim cut	R826 <input type="checkbox"/>	R826 <input type="checkbox"/>
Thigh belt		R813 <input type="checkbox"/>	R813 <input type="checkbox"/>
Pelvic harness		R846 <input type="checkbox"/>	R846 <input type="checkbox"/>
Hip guides (pair)		R867 <input type="checkbox"/>	R867 <input type="checkbox"/>
Abductor	CHOOSE Small	R884 <input type="checkbox"/>	R884 <input type="checkbox"/>
	Large	R891 <input type="checkbox"/>	R891 <input type="checkbox"/>
Adductors (pair)		R892 <input type="checkbox"/>	R892 <input type="checkbox"/>
Leg prompt		R859 <input type="checkbox"/>	R859 <input type="checkbox"/>
Footboard (recommended for chairs with long legs)		R857 <input type="checkbox"/>	Included
Ankle straps (pair)		R855 <input type="checkbox"/>	R855 <input type="checkbox"/>
Sandals (pair)		R964 <input type="checkbox"/>	R964 <input type="checkbox"/>
Wedges (pair, require sandals)		R699 <input type="checkbox"/>	R699 <input type="checkbox"/>
Lumbar and seat support kit		R888 <input type="checkbox"/>	R888 <input type="checkbox"/>
Backrest filler pad		R856 <input type="checkbox"/>	R856 <input type="checkbox"/>
Whitmyer headrest adapter		R804 <input type="checkbox"/>	R804 <input type="checkbox"/>
Directional assist wheel retrofit kit		N/A	R965 (1 kit) <input type="checkbox"/> R966 (5 kits) <input type="checkbox"/>

* Required



Compass Chair

It's the perfect inclusion chair. The rock-solid frame is built to withstand years of demanding use. The contoured seat and sturdy armrests provide reassuring boundaries, giving mildly involved students the support they need to feel secure and comfortable. At the same time, its simple and elegant construction lets it blend easily into any classroom environment. It looks almost like a regular classroom chair – it's designed to.

The five available sizes accommodate everyone from small children to adults, and the adjustable legs allow fine-tuning for optimal positioning.



Find important details and informative facts about the Compass Chair at:
www.rifton.com/compasschair

"We have had trouble getting one of our students to sit even for a few moments, which, of course, makes learning very difficult. We've tried different seating options but nothing seemed to work. Imagine our surprise when he saw the Compass Chair for the first time and, entirely on his own, went and sat in it until we had to ask him to get up!"

*Kathleen Marshall
Anderson Center for Autism
Staatsburg, NY*

Compass Chair (R320)

DESIGNED FOR USE WITH THE
MOVE
PROGRAM

Compass Chair features



Unique built-in support
The contoured sides of the seat and the inside surfaces of the armrests provide security and sensory boundaries, helpful for students with autism spectrum disorder.



New! We've doubled
the height adjustment range, so you can find the perfect fit for each student.



New! The dynamic and stability feet can be used in several configurations to best fit each student's needs.

New! Dynamic feet



For students who benefit from more stability, the dynamic feet can be used on just the front or back legs with stability feet attached opposite.



Dynamic feet attach to the front and back legs to accommodate more active students.

Components



New! Stability feet

The new stability feet clip on or off the front and back legs independently and tool-free for greater versatility and easier storage. They enlarge the chair's base of support to accommodate more active, tip-prone students.



New! Dynamic feet

The dynamic feet give the chair a subtle bounce and a softer feel. They allow enough movement to help a student focus and release energy while still providing a sense of security. The balls are quiet, stationary, highly durable and replaceable with any standard racquetball.

Note: The dynamic feet add ½" of height.



Seat belt

The optional seat belt clips into the seat when needed for safety or postural support.



Pelvic harness

An alternative to a typical seat belt, Rifton's unique pelvic harness secures a student's hips and upper thighs without pressure on the abdomen. The pelvic harness provides a secure, comfortable base for correct posture.



Upgrade your chairs!

This modular and interchangeable system is compatible with any previously purchased Rifton Compass Chair. No tools required. Just slide the old legs off, slide the new ones on, and you're ready to add any of these new features to your existing chairs.


Right: The low friction legs have blue tips, and the standard legs have black.



Compass Chair dimensions

Scan for sizing and pricing:
<https://www.rifton.com/compasschair>



User dimensions (inches)	R310 size 1	R320 size 2	R330 size 3	R340 size 4	R350 size 5
Height	36 – 45	43 – 50	48 – 57	55 – 65	65+
Knee to heel	9 – 13	10½ – 14½	12½ – 16½	14½ – 18½	16½ – 20½
Min – max thigh circumference for pelvic harness	10½ – 23½	12 – 28½	14½ – 30½	15 – 34½	17½ – 38½
 <p>Key user dimension: height / knee to heel The user's overall height and measurement from knee to heel is a general guide to help you select the appropriate chair. Choose the model that allows for growth.</p> <p>Important: Make sure that seat width, depth and height are adequate for each user, and that the user's weight does not exceed the maximum working load.</p>					
Item dimensions (inches)	R310	R320	R330	R340	R350
Seat height – in 1" increments	9 – 13	10½ – 14½	12½ – 16½	14½ – 18½	16½ – 20½
Seat depth	9½	11	12¾	14¾	16½
Seat width	10½	12¾	14	16¼	18¼
Backrest height	9½	11	12½	14¾	16
Armrest height above the seat	5½	6	7	8¼	8¾
Armrest length	6½	7½	8½	9¾	11
Max. working load (lb)	100	120	175	220	250

2025 order form

Use dimension chart to select appropriate size.



		R310 size 1	R320 size 2	R330 size 3	R340 size 4	R350 size 5
* Compass chair		R311 <input type="checkbox"/>	R321 <input type="checkbox"/>	R331 <input type="checkbox"/>	R341 <input type="checkbox"/>	R351 <input type="checkbox"/>
* Leg type	Short	R314 <input type="checkbox"/>	N/A	N/A	N/A	N/A
	Short (low friction)	R334 <input type="checkbox"/>	N/A	N/A	N/A	N/A
	Standard	R315* <input type="checkbox"/>	R315 <input type="checkbox"/>	R315 <input type="checkbox"/>	R315 <input type="checkbox"/>	R315 <input type="checkbox"/>
	Standard (low friction)	R335* <input type="checkbox"/>	R335 <input type="checkbox"/>	R335 <input type="checkbox"/>	R335 <input type="checkbox"/>	R335 <input type="checkbox"/>
New! Front stability feet (pair)		R326 <input type="checkbox"/>	R326 <input type="checkbox"/>	R326 <input type="checkbox"/>	R326 <input type="checkbox"/>	R326 <input type="checkbox"/>
New! Rear stability feet (pair)		R327 <input type="checkbox"/>	R327 <input type="checkbox"/>	R327 <input type="checkbox"/>	R327 <input type="checkbox"/>	R327 <input type="checkbox"/>
New! Dynamic feet (set of four)		R328 <input type="checkbox"/>	R328 <input type="checkbox"/>	R328 <input type="checkbox"/>	R328 <input type="checkbox"/>	R328 <input type="checkbox"/>
Seat belt		R312 <input type="checkbox"/>	R312 <input type="checkbox"/>	R332 <input type="checkbox"/>	R342 <input type="checkbox"/>	R342 <input type="checkbox"/>
Pelvic harness		R313 <input type="checkbox"/>	R323 <input type="checkbox"/>	R333 <input type="checkbox"/>	R343 <input type="checkbox"/>	R353 <input type="checkbox"/>

* Required

* The standard legs can be used on size 1, but the lower two positions will not be accessible.



Anchor Family

Stabilizing one arm makes work and play activities much easier for many clients. Regular use of an Anchor (or a pair) can help increase head and upper trunk strength and control.

Great in the classroom, at home or in a sheltered workshop, anchors are portable and sturdy, but not too heavy. The suction cup base fastens easily to any smooth, horizontal surface including chair or stander trays.



Find important details and
informative facts at:
www.rifton.com/anchors

"Whether stabilizing a child's posture while he feeds himself or letting him type at the computer, we see huge improvements with the use of Rifton's Anchors. I especially like the grab bar. I've used it on the floor for self-assisted rolling and on tables for repositioning. The versatility of the system has made the Anchor family indispensable at our facility."

*Bill Lynch, DPT
Supervisor, Physical Therapy Department
Orange-Ulster BOCES, Goshen, NY*

..... Arm Anchor (K811)

DESIGNED FOR USE WITH THE
MOVE
PROGRAM



The wrist Anchor provides guidance and placement for one hand to allow controlled use of the other.



The arm Anchor stabilizes the forearm to provide upper body support while a client works on communication skills.



The grab bar fastens simply and securely on a horizontal surface, assisting this client in her functional activities.

Choose your Anchor

Users with low tone receive support and develop strength for improved functional sitting. Users with high tone or movement disorders gain stability for increased functional use of the free hand and arm. Anchors promote inclusion and social development for the user.

Anchors are short-term positioning aids and are not intended to be used for primary standing support or transfers.



Scan for sizing and pricing:
<https://www.rifton.com/anchors>



Hand Anchor: The hand Anchor attaches to any smooth surface to achieve stability and positioning. No more drilling through wheelchair trays!

K821
Overall length: 5½"
Length of handhold with bulb: 4¼"
Diameter of handhold: 1¼"



Grab Bar: The horizontal grab bar attaches to any smooth, horizontal surface to assist in functional activities. It can be used to stabilize both hands at once.

K824
Overall length: 20"
Overall length with cups in: 13½"
Diameter of handhold: 1¼"
Length of bar: 10"



Elbow Anchor: The elbow Anchor provides stability to the forearm while leaving the hands free for functional activities. It can also reduce abnormal posturing of the shoulder girdle by maintaining the elbow position.

Right K815
Left K816
Overall length: 11"
Overall width: 7¼"
Width of arm trough: 4"
Length of arm trough base: 9½"



Wrist Anchor: For a more secure handhold and to help maintain hand placement, the wrist Anchor includes a wrist strap and pad.

K822
Overall length: 8"
Length of handhold with bulb: 4"
Diameter of handhold: 1¼"



Horizontal Anchor: The versatile horizontal Anchor is ideal for clients who can grasp more easily with their forearm pronated. Attach to any smooth table or tray surface for stability and positioning.

K823
Overall length: 9½"
Length of handhold with bulb: 4½"
Diameter of handhold: 1¼"



Arm Anchor: The padded arm Anchor stabilizes the forearm. The handgrip extends and rotates to any angle to meet multiple positioning needs.

Small right K811
Small left K812
Inside of thumb to elbow: 7½" – 12"
Overall length with handhold: 9" – 13"
Width of arm trough: 4"
Large right K813
Large left K814
Inside of thumb to elbow: 10" – 15"
Overall length with handhold: 11" – 16"
Width of arm trough: 4½"



HTS

Hygienic, simple, affordable and adaptable to most toilets, the Hygiene and Toileting System (HTS) is designed to improve the health of the client and the life of the caregiver.

The versatility of the HTS makes it ideal for anyone contending with tight budgets or tight spaces. Because it accommodates toileting, showering and bathing, the HTS eliminates the need to buy separate equipment for each activity.



Find letters of medical necessity
and informative articles at:
www.rifton.com/hts

"After a year of unsuccessful training attempts with a particular student, we are excited to say that the first day we put him on a Rifton HTS he was so comfortable that he voided twice in the same day."*"*

*Kerri Wright, Special Ed Teacher
Orange Ulster BOCES, NY*

..... HTS (Z122 tilt-in-space base)

DESIGNED FOR USE WITH THE
MOVE[®]
P R O G R A M

HTS features

One of the most affordable toileting systems available today, the HTS can be configured in myriad ways to fit your clients. Options range from the basic model with seat, back, base and armrests to the fully accessorized version.



Precise adjustability

Adjust the height, seat depth and backrest angle independently for optimal positioning.



Foam molded cushions

Foam pads on the back and seat provide comfort for your clients and easy cleaning for caregivers.

Note: the pads are made of firm material similar to Crocs™.



Better mobility

The large caster option improves mobility and has better resistance to picking up debris.



Accessible for clients

A flip-up footboard makes sit-to-stand transitions easy.

Any client, any toilet, any situation

For clients, each element of the HTS creates the best possible conditions for hygiene. Its wide range of adjustment and varied support options help clients maintain positioning that promotes effective toileting, and the tilt-in-space feature and adjustable headrest make showering easier.

For caregivers, the HTS is the paragon of adaptability. It can be used on or over a round front or elongated toilet, or as a free-standing commode. It can adjust to children as they grow, and includes components and supports for clients of every size and need.



**ON**

Placing the HTS on any model of toilet, round front or elongated, enables the client to share the same toilet as the rest of the family. Mounting bars make for easy, secure attachment of the chair to the toilet base. Removal is just as easy, no tools required.

**OVER**

Wheeling the HTS over toilets of nearly any size and style, enables the client to share the same toilet as the rest of the family. Or use the stationary base on toilets up to 15" tall.

**OFF**

Use the HTS off the toilet as a stand-alone commode in any location. With the mobile base it can double as a shower chair.



The chair that grows with you

The HTS comes in three sizes, each with a wide range of adjustment. As your child grows the chair can adapt, giving you years of useful service.



Which chair is larger?

The chairs in the photo on the right are exactly the same size: one is adjusted to its smallest setting to accommodate a five-year-old, the other at its largest setting fits an eleven-year-old. The HTS fits a wide range of sizes, body types and special needs, allowing room for growth over time or use by multiple users.



Easy lifts and transfers

Lifts and transfers present a major challenge to successful toileting. The HTS makes them easier, with features like a gas-assisted spring tilt adjustment for sit-to-stand transfers, swing-away laterals and removable armrests for lateral transfers, and a weight-bearing footboard (up to 150 lb) for front-loading transfers.



The new-style swing-away laterals make transfers quick and easy.



The forward tilt and the easily removed armrests make sit-to-stand and transfers simple.



Tilt-in-space

Tilt the HTS forward (up to 5°) for easier transfer. Tilt backward (up to 25°) for showering and hair washing.



Doubles as the perfect shower chair.

Save space and money with a single product for both toileting and showering. The aluminum, stainless steel and plastic construction withstands bleach and water.

The HTS tilt-in-space base tilts 5° forward or 25° back for showering and hair washing.

Components

Seat and back with seat belt



Choice of base or mounting bar



Mobile
(tilt-in-space with footboard)



Mobile
(non-tilt with footboard)



Stationary
(non-tilt with footboard)



Tub base
(non-tilt, for medium and small HTS seats)

Note: Check clearance if using over a toilet.



Mounting bar for round front toilet
(compatible with small, medium and large HTS*)
Round-front toilets will measure 17" or less from the centerline of the seat bolts to the front edge of the porcelain bowl.

*Large HTS will always use round front mounting bar for both elongated and round front toilets.



Mounting bar for elongated toilet
(compatible with small and medium HTS) Elongated toilets will measure more than 17" from the centerline of the seat bolts to the front edge of the porcelain bowl.

Use the **Mounting bar** to attach the HTS seat to round-front or elongated toilets. The easy on-and-off feature allows caregivers to quickly position or remove the seat.

Armrests




Armrests come in three heights and are easily removable for lateral transfers. The height selection allows the HTS to grow with a child or accommodate the needs of multiple clients.

Low: 6" high x 9" long
Medium: 7" high x 10½" long
High: 9" high x 12" long



Components (continued)



Rear-open

Rear-closed

No-hole



Soft seat pad

Seat and back pads

Waterproof closed-cell foam pads are easily removed for cleaning. The unique rear-open seat pad enables hygiene care while the client is still seated and relaxed. Rear-closed and no-hole pads provide additional support. The no-hole pad comes with a rigid hole filler for the medium and large HTS.

Soft seat pad

The soft seat pad is thicker and softer for users with sensitive skin. It is only available in the rear-closed style.



Push handles

A set of push handles allows the caregiver to easily move a client seated in the HTS.



Headrest

The curved headrest provides support for clients with limited head control and adjusts in height, depth and angle.



Butterfly harness

The butterfly harness provides maximum anterior support, security and freedom of movement for clients who have limited trunk control while sitting.





Anterior support/tray

The padded anterior support/tray promotes the forward leaning positioning that best facilitates the toileting process.



Laterals

The new-style laterals swing away easily for transfers. They are independently adjustable to secure clients with limited trunk control. Laterals come in two sizes.

Small 5"x 4", **large** 6"x 5"



Laterals and chest strap

With the addition of a wide chest strap to the laterals, clients with low upper torso control gain trunk support and security.



Hip guides

Hip guides reduce the seat width, allowing for years of use as the client grows. They align the torso to aid trunk control and provide spine alignment. They adjust in two increments and can be removed with the armrests for transfer.

Small 7"x 3", **large** 11"x 3"



Large hip guides (thick pads)

Thicker hip guides allow narrower seat width adjustment. They adjust in two increments and can be removed with the armrests for transfer.

Dimensions 11"x 3"



Pan

The pan facilitates off-toilet functionality, and its durable plastic construction with a pour spout makes clean-up simple. Its extra depth ensures it will not spill, even when the chair is tilted.

Small 2½ quarts, **medium** 4 quarts, **large** 5 quarts



Components (continued)



Bowl adapter


For situations where the hole in the HTS does not align perfectly with the toilet, the bowl adapter is inserted under the seat pad. It can also be used with the large HTS to create a secure fit over a round front toilet.



Splash guard



Standard deflector



Dynamic deflector

Deflectors

Deflectors keep caregiver and client clean during urination. Options include a standard deflector (requires seat pad), a splash guard that attaches to the seat belt or butterfly harness, and a dynamic deflector combined with an abductor (available for medium and large HTS), which moves with the user to provide dependable containment.



Abductor

By separating the knees and helping to control leg muscles, the abductor prevents scissoring of the legs and promotes good joint and body alignment. It also connects to the standard deflector to maintain cleanliness.

Small 3" x 5" x 5", **large** 4" x 5½" x 5½"



Calf rest and ankle straps

Using the calf rest enhances the client's comfort and sense of security, while ankle straps help with limited muscle control and excursion movement, enabling a moderate range of movement. Both components are machine-washable for hygiene.



Footboard for use with mounting bar

This footboard can be attached to the HTS when it is mounted on a toilet with the mounting bar.

Note: The footboard should not be used as a step when used with the mounting bar.





Large casters


The large casters improve mobility by clearing higher thresholds or other obstacles. They add approximately 1" to the height from floor.



Portability base with carry bag

The portability kit (compatible with small and medium HTS) gives clients greater independence and their families greater freedom to travel by enabling them to take the HTS on the road. The lightweight folding frame and carry bag make toileting possible while traveling. Using the HTS eliminates contact with public toilets for better hygiene.

Note: The folding base is not intended for use as a primary base.



Tub base


The tub base (compatible with small and medium HTS) adds even more versatility to the HTS. The seat and back attach to the tub base for comfortable showering and hair washing, eliminating the need to purchase a separate bath chair. The tub base tilts the seat back 5°. The reduced footprint accommodates narrow and wide tub bottoms alike.


Note: The pan can be used with the tub base.



HTS dimensions



User dimensions (inches)	Z110 small	Z120 medium	Z130 large
Height	30–46	42–56	50–74
 <p>Key user dimension: height The user's overall height is a general guide to help you select the appropriate size of HTS. Choose the model that allows for growth.</p> <p>Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.</p>			
Item Dimensions (inches)	Z110 small	Z120 medium	Z130 large
Tilt-in-space mobile base footprint	21 x 27	21 x 27	23½ x 33
Tilt-in-space base length at full recline (incl. headrest)	43	49¼	57¼
Non-tilt base footprint	20 x 25	20 x 25	23½ x 29
Seat (front) to footboard height*	8½–13½	10½–15½	11¼–17½
Seat (front) to floor; mobile tilt frame (add 1" for Z181 large casters)	15½–21½	15½–21½	17½–23
Seat (front) to floor; mobile non-tilt frame (add 1" for Z181 large casters)	16–20	17–20½	18–22
Seat (front) to floor; stationary non-tilt frame	13–17	14–17½	15–19
Seat depth (one-inch increments)	8–11	11½–14½	14½–17½
Seat width (depending on hip guides)	8/10/12	8/10/12/14	11/13/15/17
Hole size in seat pad	open 4 x 9, closed 3 x 8	open 4½ x 12, closed 3½ x 10	open 6 x 14, closed 4½ x 12
Armrest height	5¼	6½	8
Backrest height above seat	16½	19½	24½
Backrest width	11½	13½	16
Distance between laterals	4¾–12	6¾–14½	10½–18
Tilt in space FORWARD (degrees)	**5°	**5°	**5°
Tilt in space BACK (degrees)	**25°	**25°	**25°
Backrest angle adjustment (degrees)	6° fwd, 6° or 18° back	6° fwd, 6° or 18° back	6° fwd, 6° or 18° back
Footboard angle adjustment (degrees)	10°, 20° or 30° fwd, 10° back	10°, 20° or 30° fwd, 10° back	10°, 20° or 30° fwd, 10° back
Max. clear height under seat (tilt frame)	20½	20½	20¾
Max. clear height under seat (stationary non-tilt frame)	15	15	16½
Max. clear height under seat (mobile non-tilt frame)	18	18	19½
Portability base clearance (fits over ADA compliant toilets)	18½	18½	N/A
Bottom of frame to floor; tilt-in-space mobile base	2	2	2
Tub base footprint	23 x 16½ at feet / 19 at top	23 x 16½ at feet / 19 at top	N/A
Tub base height (floor to seat pad)	11 at front, 9½ at back	11 at front, 9½ at back	N/A
Max. working load (lb)	75	150	***250



*When the mobile base is in the lower positions and the footboard is fully extended, it may prevent the front casters from swiveling. In this case, either change the footboard angle or raise the seat height to give the casters room to swivel.

To achieve 15° of forward tilt for ease of transfer, order the **tilt angle converter, Z169.
(The range of adjustment will be 15° back and 15° forward. See reference charts at left.)

***Max. working load of the large footboard is 150 lb.

2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/hts>



		Z110 small	Z120 medium	Z130 large
* Seat and back (includes seat belt)		Z111 <input type="checkbox"/>	Z121 <input type="checkbox"/>	Z131 <input type="checkbox"/>
* Base	Mobile (tilt-in-space with footboard)	Z112 <input type="checkbox"/>	Z122 <input type="checkbox"/>	Z132 <input type="checkbox"/>
	Mobile (non-tilt with footboard)	Z113 <input type="checkbox"/>	Z123 <input type="checkbox"/>	Z133 <input type="checkbox"/>
	Stationary (non-tilt with footboard)	Z184 <input type="checkbox"/>	Z185 <input type="checkbox"/>	Z186 <input type="checkbox"/>
	Tub base (non-tilt)	Z138 <input type="checkbox"/>	Z138 <input type="checkbox"/>	N/A
	Mounting bar (round-front toilet)	Z115 <input type="checkbox"/>	Z115 <input type="checkbox"/>	Z135 <input type="checkbox"/>
	Mounting bar (elongated toilet)	Z125 <input type="checkbox"/>	Z125 <input type="checkbox"/>	Z135 <input type="checkbox"/>
* Armrests (pair)	Low	Z101 <input type="checkbox"/>	N/A	N/A
	Medium	Z102 <input type="checkbox"/>	Z102 <input type="checkbox"/>	Z102 <input type="checkbox"/>
	High	N/A	Z103 <input type="checkbox"/>	Z103 <input type="checkbox"/>
Casters for mobile base	Small casters (3")	Z195 <input type="checkbox"/>	Z195 <input type="checkbox"/>	Z195 <input type="checkbox"/>
	Large casters (4")	Z181 <input type="checkbox"/>	Z181 <input type="checkbox"/>	Z181 <input type="checkbox"/>
Seat and back pads (recommended)	Rear-open seat pad	Z153 <input type="checkbox"/>	Z163 <input type="checkbox"/>	Z173 <input type="checkbox"/>
	Rear-closed seat pad	Z154 <input type="checkbox"/>	Z164 <input type="checkbox"/>	Z174 <input type="checkbox"/>
	No-hole seat pad	Z187 <input type="checkbox"/>	Z188 <input type="checkbox"/>	Z189 <input type="checkbox"/>
	Soft seat pad	Z924 <input type="checkbox"/>	Z925 <input type="checkbox"/>	Z926 <input type="checkbox"/>
Headrest		Z104 <input type="checkbox"/>	Z104 <input type="checkbox"/>	Z104 <input type="checkbox"/>
Push handles (pair)		Z199 <input type="checkbox"/>	Z199 <input type="checkbox"/>	Z199 <input type="checkbox"/>
Butterfly harness		Z116 <input type="checkbox"/>	Z126 <input type="checkbox"/>	Z136 <input type="checkbox"/>
Anterior support/tray		Z145 <input type="checkbox"/>	Z155 <input type="checkbox"/>	Z165 <input type="checkbox"/>
Laterals (pair)	Small	Z105 <input type="checkbox"/>	Z105 <input type="checkbox"/>	Z105 <input type="checkbox"/>
	Large	N/A	Z106 <input type="checkbox"/>	Z106 <input type="checkbox"/>
	Small with strap	Z107 <input type="checkbox"/>	Z107 <input type="checkbox"/>	Z107 <input type="checkbox"/>
	Large with strap	N/A	Z108 <input type="checkbox"/>	Z108 <input type="checkbox"/>
Hip guides (pair)	Small	Z109 <input type="checkbox"/>	Z109 <input type="checkbox"/>	Z109 <input type="checkbox"/>
	Large	N/A	Z149 <input type="checkbox"/>	Z149 <input type="checkbox"/>
	Large with thick pads	N/A	Z198 <input type="checkbox"/>	Z198 <input type="checkbox"/>
Pan		Z117 <input type="checkbox"/>	Z127 <input type="checkbox"/>	Z137 <input type="checkbox"/>
Bowl adapter		Z196 <input type="checkbox"/>	Z196 <input type="checkbox"/>	Z197 <input type="checkbox"/>
Deflector	Standard (requires seat pad)	Z118 <input type="checkbox"/>	Z118 <input type="checkbox"/>	Z128 <input type="checkbox"/>
	Splash guard	Z119 <input type="checkbox"/>	Z119 <input type="checkbox"/>	Z129 <input type="checkbox"/>
	Dynamic deflector	N/A	Z923 <input type="checkbox"/>	Z923 <input type="checkbox"/>
Abductor	Small	Z124 <input type="checkbox"/>	Z124 <input type="checkbox"/>	N/A
	Large	N/A	Z144 <input type="checkbox"/>	Z144 <input type="checkbox"/>
Ankle straps (pair, require footboard)		Z156 <input type="checkbox"/>	Z156 <input type="checkbox"/>	Z157 <input type="checkbox"/>
Calf rest (requires footboard)		Z158 <input type="checkbox"/>	Z158 <input type="checkbox"/>	Z159 <input type="checkbox"/>
Footboard (for mounting bar attachment)		Z146 <input type="checkbox"/>	Z147 <input type="checkbox"/>	Z148 <input type="checkbox"/>
Portability base with carry bag		Z139 <input type="checkbox"/>	Z139 <input type="checkbox"/>	N/A

* Required



Support Station

The Support Station brings dignity and convenience to hygiene care for people with disabilities. In addition to hygiene, it can also be used to aid any sit-to-stand transfer.

With the Support Station, even partially weight-bearing individuals can receive hygiene care in an upright position. This makes the process more dignified, improves access to clothing and skin and eliminates heavy lifting on the part of the caregiver.

In facilities around the world, the Support Station is making a dramatic difference for individuals with disabilities and their caregivers.



Find videos, important details and informative facts about the Support Station at:
www.rifton.com/supportstation

"Francie" can now come into the ladies' room, transfer out of her wheelchair and stand independently using the Support Station. We're reducing injury and back strain among staff and saving time, but the look of pride and dignity on Francie's face is priceless."

*Cindi Spink, LPN
Director of the Day Programs
Chesapeake Care Resources, Northeast, MD*

Support Station (K710)
with handholds and kneeboard

DESIGNED FOR USE WITH THE
MOVE
PROGRAM

Support Station features



The Support Station folds up flat against the wall when not in use.



Cleanable upholstery and frame

Angle adjustment

Indexed frame uprights

Height adjustment with safety stop feature

Quick-release kneeboard



Handholds and slots in the trunk board enable the user to assist in a transfer.



The support strap provides additional security during hygiene care.

Support Station benefits

Greater independence and dignity: Even people with limited weight-bearing ability can participate in their own personal care.

Improved safety for caregivers: Eliminating transfers to a mat or changing table means less lifting.

Clients build strength and skills: Now toileting is an opportunity for transfer practice.

Less time out: The Support Station is faster than horizontal hygiene.

Beyond toileting: The Support Station can ease the sit-to-stand transition in any setting. Clients can self-assist the stand-pivot transfer from wheelchair to adaptive chair or support themselves in an upright position for clothing changes prior to a swim session.



The elbow curves enable a user with limited hand function to assist in a transfer and maintain position on the trunk board.



The fixed non-pivot configuration with kneeboard is useful for standing hygiene care, or transfers to commode or wheelchair.



With the kneeboard in use, adjust the trunk board angle to a more upright position to promote increased weight-bearing.

Fixed configuration

For the majority of users, the Support Station is used in its fixed configuration with kneeboard. In the fixed, non-pivot configuration, the kneeboard provides leverage for the user during transfer. The padded trunk board can be set to the desired height and angle. The user maintains an upright, forward-leaning position for clothing adjustment and hygiene care, or transfer to a rolling commode or shower chair.



Pivot configuration

For clients with sufficient lower-body strength, the Support Station can be used in pivot mode without the kneeboard. In this configuration, it aids transfer from a wheelchair to a fixed toilet. While in the horizontal position, the padded trunk board can pivot 180°. The pivot latch can be operated by either caregiver or client. Supported by the trunk board, users can pivot 90° and then lower themselves to the toilet.


Note: Refer to the product manual for directions regarding installation for both uses of the Support Station.



Support Station dimensions

Scan for sizing and pricing:
<https://www.rifton.com/supportstation>



User dimensions (inches)		K710
Height		46 – 80
 Important: User height and weight must not exceed the maximum number.		
Item dimensions (inches)		K710
Trunk board size		24 x 24
Maximum trunk board height		45
Minimum trunk board height		26
Height of frame		65½
Width of frame		27½
Depth when trunk board horizontal		31
Depth when collapsed against wall		8
Max. working load (lb)		250

2025 order form



		K710
* Frame		K715 <input type="checkbox"/>
Support strap		K716 <input type="checkbox"/>
Kneeboard		K717 <input type="checkbox"/>
Handholds	Pair	K718 <input type="checkbox"/>
	Single	K719 <input type="checkbox"/>

* Required



Wave

A Bathing & Transfer System

Hygiene and health go together. When we make bathing easier, our clients are healthier. The Wave system has been thoughtfully designed to improve bathing and showering for the client and for the caregiver.

The Wave's modular design can be configured for tubs or showers. Soft knit fabric protects skin integrity, and the ingenious tub transfer base will completely change the way you transfer and bathe large clients. There's nothing like it.



Find letters of medical necessity
and informative articles at:
www.rifton.com/wave

"The Wave bath chair is terrific! In the past, lifting a child into a tub has been a back killer, but the new transfer base eliminates this hazard entirely. The casters allowing lateral movement in the tub are a welcome addition, and the fact that I can easily collapse the base and hang it on the wall is a fabulous space saver."*"*

*Linda K. Miller, DPT
Queensbury, New York*

Wave (Z220 with
tub transfer base Z228)

Wave features



Generously sized
The wide seat comfortably accommodates large clients. The seat width on the large size is 17½".



One-hand adjustment
Adjust backrest angle with one hand, keeping the other hand on the client for safety and reassurance.



Full leg support
The calf rest provides full support for the lower legs. Adjust it independently of the seat by pushing the gray buttons and rotating up or down. It must be installed at the time of purchase.



Typical bathtub height range
—— 18"
—— 14"





Tub stand



Shower stand



Tub transfer base



Highly adjustable

Backrest angle, seat angle and calf rest angle adjust individually.



More seat heights

For an intermediate seat height, put the rear legs up and front legs down. To get the chair low in the tub, put the front and back legs up. Fold the chair completely flat for storage.



Components

Bath chair size and color



Choice of chest strap



Without lateral positioning

The simple chest strap safely positions the user in the Wave bath chair. It attaches with hook and loop where needed along the full height of the back and buckles securely behind.



With lateral positioning

We designed this chest strap with adjustable lateral straps to give additional lateral support, helping users maintain better trunk alignment in the bath chair. The soft fabric laterals will not get in the way during transfers.





Head blocks

Head blocks provide lateral support and positioning for the user's head.



Leg straps

Use the fully adjustable leg straps to position your client's hips in abduction or just to provide additional security.



Calf rest

The calf rest supports the lower legs. It is strongly recommended when the bath chair is used on one of the stands.

Note: The calf rest must be chosen at the time of the original purchase. It cannot be added later.



Tub stand

The tub stand raises the bath chair either 5½" or 11½" higher in the tub depending on the position of the tub stand legs.



Shower stand

The shower stand lets you roll your client into the shower stall at a convenient height for cleaning. Locking 4" casters provide smooth, easy maneuverability.



Components (continued)

Tub transfer base

Bathing equipment for people with disabilities tends to be big and bulky, taking up far too much space in bathrooms shared by the whole family. Using Rifton's tub transfer base, you can perform healthy transfers without crowding your bathroom with permanently mounted equipment. When bath time is over, the base can be folded up and hung compactly on the wall.



Unique two-stage movement



The tub transfer base starts in the position farthest out of the tub. It is then rolled back over the tub, and the brakes are set.



As the upper portion with the bath chair is rotated 90° it moves approximately 12" back over the tub in one motion.



The legs of the tub transfer base can be adjusted in increments of $\frac{1}{8}$ " to fit bathtubs up to 24" high.



1. With the client secured in the chair, push the transfer base to the back of the tub as far as it will go and lock the wheels.



2. Press either of the gray pivot latches and rotate the bath chair and client over the tub.



3. As the bath chair rotates, it continues to move back over the tub. Gently lift the client's legs to clear the edge of the tub.



4. In the final position the bath chair is over the tub and can be adjusted as desired for showering.


Free up the tub.

Rifton's folding, storable tub transfer base makes it possible for everyone in the family to still use the tub.

When you are finished, remove the base from the tub, fold the legs and hang it on the wall hook provided.



Wave dimensions

User dimensions (inches)	Z210 small	Z220 medium	Z230 large
Height	up to 46	40–56	50–74
 <p>Key user dimension: height Select the appropriate bath chair by the user's overall height. Choose the size that allows for growth.</p> <p>Important: Make sure that seat depth, width and back height are adequate. The user's weight must not exceed the maximum working load.</p>			
Item dimensions (inches)	Z210 small	Z220 medium	Z230 large
Seat depth	10½	13	17
Seat width	15	15	17½
Back height	23	26½	32
Seat height	2–7	2–7	2–7
Seat height (incl. tub stand)	12½–18½	12½–18½	12½–18½
Seat height (incl. shower stand)	27½	27½	27½
Seat height (incl. tub transfer base) with long leg inserts	21–26 24½–29½	21–26 24½–29½	21–26 24½–29½
Length of mesh area when flat (without calf rest)	35	41	50½
Length of mesh area when flat (with calf rest)	42½	49	61
Base width	18	18	21
Base length (legs down) with legs flat	24 29½	24 29½	24 29½
Tub stand height (legs flat)	8	8	8
Tub stand length (legs flat)	39	39	39
Tub stand width (legs flat)	17½	17½	17½
Shower stand height	22	22	22
Shower stand width	27	27	27
Shower stand length	34	34	34
Tub transfer base footprint	28 x 30	28 x 30	28 x 30
Max. tub height for transfer base with long leg inserts	20 24	20 24	20 24
Maximum working load (lb)	75	150	250
Back and seat angle adjustments (degrees)	0°, 15°, 30°, 45°, 60°, 75°		



All three sizes are available in blue and pink.

2025 order form

Use dimension chart to select appropriate size.

Scan for sizing and pricing:
<https://www.rifton.com/wave>



Conversion kits

The tool-free conversion kit converts your small chair to medium as your child grows.

Kit without calf rest

Blue Z268

Pink Z269

(Kit includes seat, back, cover and chest strap)



Kit with calf rest

Blue Z266

Pink Z267

(Kit includes seat, back, cover and chest strap)



		Z210 small	Z220 medium	Z230 large
* Chair		Z211 <input type="checkbox"/>	Z221 <input type="checkbox"/>	Z231 <input type="checkbox"/>
* Fabric cover	CHOOSE Blue	Z244 <input type="checkbox"/>	Z246 <input type="checkbox"/>	Z248 <input type="checkbox"/>
	Pink	Z245 <input type="checkbox"/>	Z247 <input type="checkbox"/>	Z249 <input type="checkbox"/>
* Chest strap	CHOOSE With lateral positioning	Z212 <input type="checkbox"/>	Z222 <input type="checkbox"/>	Z232 <input type="checkbox"/>
	Without lateral positioning	Z213 <input type="checkbox"/>	Z223 <input type="checkbox"/>	Z233 <input type="checkbox"/>
Head blocks		Z214 <input type="checkbox"/>	Z214 <input type="checkbox"/>	Z234 <input type="checkbox"/>
Leg straps		Z215 <input type="checkbox"/>	Z225 <input type="checkbox"/>	Z235 <input type="checkbox"/>
Calf rest (Calf rest must be chosen at the time of the original purchase. It cannot be added later.)		Z216 <input type="checkbox"/>	Z226 <input type="checkbox"/>	Z236 <input type="checkbox"/>
Tub stand		Z217 <input type="checkbox"/>	Z217 <input type="checkbox"/>	Z217 <input type="checkbox"/>
Shower stand		Z218 <input type="checkbox"/>	Z218 <input type="checkbox"/>	Z218 <input type="checkbox"/>
Tub transfer base (legs required, calf rest recommended)	CHOOSE Counterclockwise into tub	Z227 <input type="checkbox"/>	Z227 <input type="checkbox"/>	Z227 <input type="checkbox"/>
	Clockwise into tub	Z228 <input type="checkbox"/>	Z228 <input type="checkbox"/>	Z228 <input type="checkbox"/>
Legs for tub transfer base	CHOOSE Standard	Z224 <input type="checkbox"/>	Z224 <input type="checkbox"/>	Z224 <input type="checkbox"/>
	Long (tub edge over 20" high)	Z238 <input type="checkbox"/>	Z238 <input type="checkbox"/>	Z238 <input type="checkbox"/>
Additional head blocks		Z214 <input type="checkbox"/>	Z214 <input type="checkbox"/>	Z234 <input type="checkbox"/>
Additional fabric cover		Z219 <input type="checkbox"/>	Z229 <input type="checkbox"/>	Z239 <input type="checkbox"/>
Additional chest strap	CHOOSE With lateral positioning	Z212 <input type="checkbox"/>	Z222 <input type="checkbox"/>	Z232 <input type="checkbox"/>
	Without lateral positioning	Z213 <input type="checkbox"/>	Z223 <input type="checkbox"/>	Z233 <input type="checkbox"/>

* Required

Important customer information

Supervision

We understand how challenging your job is. In addition to providing education and/or therapy, you must also ensure a safe environment for every user. Appropriate equipment and procedures are important, but none of these are substitutes for the presence of an attentive and responsible caregiver.

When caring for users with special needs and disabilities, one or more caregivers should be in the room with the users at all times. Below, we offer a few thoughts to educate and inform the caregivers at your facility.

- **Straps** Are the straps and positioning blocks correctly placed for the user's safety? Be especially mindful of straps and blocks positioned near the user's head and neck.
- **Comfort** As time passes, is the user still comfortable, or is a change of position needed? Given a choice, people will frequently change their positions. We need to provide these changes throughout the day for users who need positioning support.
- **Bodily needs** Does the user need a drink of water or to use the toilet? We should be particularly sensitive to these needs when users are not able to communicate well.
- **Interaction** Are the users interacting in safe, positive ways? Younger users have immature judgment and may respond to one another in dangerous ways. For example, a mobile child may unfasten a strap which is keeping a fragile child in a safe position.
- **Environment** Is the room well lit and ventilated? Have obvious hazards been eliminated?
- **Hazards** The caregiver will need to give special attention in situations like bathing, where water is involved, or where steps or stairs are present and users could fall.

We hope this has been helpful, but we cannot possibly list and discuss all the dangers here. This is why we stress the importance of having a concerned and alert caregiver present at all times.



Two posters emphasize supervision and the proper use of straps and supports. Place them in your center as gentle reminders to your staff and volunteers. 11" x 17", available in English or Spanish. Order online or request from customer service.

Straps and supports

Rifton products are intended to help people with disabilities achieve the highest possible levels of independence and personal dignity. Straps and supports should be used only when they support this goal. General uses for straps and supports include:

- **Postural support:** Some users need supports and straps to maintain their posture as they do activities with their head and hands, and to prevent developing deformities.
- **Safety:** Sometimes straps are needed to prevent users from falling out of equipment or injuring themselves (like the straps on a car seat).

General guidelines

Never leave a user unattended when straps or supports have been applied. If a user needs a strap, then special supervision is required.

Use adequate straps/supports so the user cannot fall off equipment or slide down and be injured. If you are not sure how much support to use, consult with a therapist and consider the following points:

1. Ask yourself if the support improves or limits the user's ability to function in this position.
2. Does the support allow movement where the user is able to control it?
3. When a user is in one position for more than a few minutes, can good postural alignment be maintained, or would additional supports help to prevent deformities?
4. Don't leave a user in one piece of equipment or one position for a long period of time. Changes in position need to be part of the program.

Remember, the presence of a particular strap on a piece of adaptive equipment does not necessarily mean it must be used in all cases.

A Warning against restraints

Using straps, trays or supports to restrict a child's movement is considered behavioral restraint, which may raise ethical and legal issues for your facility. Rifton products are not intended for this use.

User modifications

CAUTION: Rifton Equipment cannot accept responsibility for any modifications or alterations made to our components or products after they leave our premises. Customers modifying or altering our components or products, or using them in conjunction with products from other manufacturers, do so at their own risk since we are unable to validate the safety and efficacy of the modified or altered product. The modification or alteration of our components and products, or the use of our components or products in conjunction with products from other manufacturers, may make the components and products unsafe, which could result in **SERIOUS INJURIES**.

How to order

You choose:

 **Email**
sales@rifton.com

 **Online**
www.rifton.com

 **Phone**
800.571.8198

 **Mail**
Rifton Equipment
PO Box 260
Rifton NY 12471-0260

 **Fax**
800.865.4674

Please include the following information when ordering:

Buyer information

- Contact name and title
- Daytime phone number
- Email address

Shipping information

- Institution (if applicable)
- Contact name
- Phone number
- Street address
(city, state and zip)

Billing information

- Institution (if applicable)
- Contact name
- Street address
(city, state and zip)
- Purchase order number

For public schools and all who have established a charge account with us, terms are thirty days net.
For all other customers, payment is due with order.

Residents of most states must include sales tax with their order, or provide a Sales Tax Exemption Certificate.

Our promise to you

Free delivery in 48 states!

Absolutely free freight. No catch. No minimum order. *AK and HI: delivery in four to six weeks. Honolulu, Anchorage, Fairbanks and Juneau: please add 5% to the catalog price. For all other points with road access: please add 15% to the catalog price.*

Replacement parts

Our replacement parts service is available to keep your equipment up and running. Give us a call. It is helpful to have the serial number from the product when you call. For older items we may be able to supply common replacement parts if the design has not changed significantly.

Credit on returns

If you wish to return a Rifton product, please call us for return instructions within thirty days of receiving it. For a full refund less a 10% restocking fee off list price, the product must be in brand new condition, and in original packaging. Please note that for reasons of health and safety we cannot allow the return of toileting, bathing or shower products that have been removed from their original packaging. Please hold on to your carton and packaging materials until you are certain that your order fulfills your needs. We will arrange all the details and pay for the return shipment. You are responsible for repackaging the item. No unauthorized returns are accepted.

Full one-year warranty

No nonsense, no small print. If a Rifton product breaks or fails in service during the first year, we will replace it free of charge.

Contact us

Your customer service representative can help you with any questions you may have about our products.

800.571.8198 or email **sales@rifton.com**

- **Please inspect each box when your order arrives,** and note any damaged or missing boxes on the delivery receipt. Then give us a call and we'll send you a replacement.
- **A product manual comes with each Rifton product.** This important document makes recommendations for use and details specific limitations that must be observed. Please look for it when your boxes arrive.
- **Rifton products must always be used with prior approval** and ongoing guidance of a physician or therapist. Adult supervision is required at all times.
- **To improve our products we reserve the right to alter design** or materials without prior notice. The product dimensions and weights in this catalog are approximate and intended for description.
- **All goods offered subject to availability.**
- **Rifton Equipment is not a Medicaid provider.** If you wish to purchase equipment through a third party payer, contact your local rehab equipment supplier.

Changing lives with the MOVE™ program

MOVE is a structured program that provides a framework and a data collection system to measure gross motor skills in small increments, so that we can capture even the slightest progress. It's a top-down approach that looks at the skills an individual already possesses, and teaches the specific skills needed to become independent in a given activity at that

person's highest functional level. Most importantly, MOVE is a form of teaching that embeds skill practice throughout the day. For outcomes, MOVE offers increased choice-making for individuals by increased independence. And as we all know, by increasing independence through greater mobility and physical movement, better health outcomes follow.



The MOVE Program and trainings are developed by MOVE International, a non-profit dedicated to helping individuals with disabilities.

Find out what MOVE can do for you:

www.rifton.com/move • www.move-international.org



Made in the USA



Exceptional quality control

- ▶ **Knowledgeable customer service and support**—before AND after the purchase
- ▶ **Rigorous product testing** to ensure safety
- ▶ **Customizable configurations**—purchase only the components you need
- ▶ **Hand assembled** with quality controls at each step
- ▶ **Durable components** to keep Rifton products going year after year
- ▶ **Generous parts replacement policy** to ensure your product stays in service



We're proud to display this logo on all our products, and it's backed by guidelines issued by the Federal Trade Commission.

Product index

A	Activity Chair	56–75
	Anchor family	82–85
B	Bath chair	108–117
C	Chairs, Activity	56–75
	Compass Chair	76–81
D	Dynamic Pacer	2–17
E	E-Pacer	18–23
G	Gait trainer, Pacer	2–17
	Gait trainer, E-Pacer	18–23
H	HTS (Hygiene & Toileting System)	86–101
M	Mobile Stander	48–55
P	Pacer, Dynamic	2–17
	Pacer Gait Trainer	2–17
	Prone Stander	36–47
S	Shower chair	108–117
	Shower chair, HTS	86–101
	Stander, Mobile	48–55
	Stander, Multi-Position	36–47
	Stander, Prone	36–47
	Stander, Supine	36–47
	Support Station	102–107
T	Toileting system, HTS	86–101
	Tricycle	24–35
W	Wave, bathing & transfer	108–117

A special thank you

to the children, clients and staff at the following schools and centers for allowing us to come and photograph our equipment in use.

Abilities First Wappingers Falls, NY
Anderson Ctr for Autism Staatsburg, NY
Center for Disability Services Albany, NY
Elizabeth Seton Pediatric Ctr Yonkers, NY
Hiwassee School Madisonville, TN
Pines Bridge School Yorktown Heights, NY
Springbrook Oneonta, NY
St. Margaret's Center Albany, NY
Sunshine Children's Home Ossining, NY
The Center for Discovery Harris, NY

And special thanks to **Mark McCarty** our photographer from Troy, NY.



Rifton Equipment
PO Box 260
Rifton NY 12471-0260

PSRT STD
U.S. POSTAGE
PAID
HARTFORD, CT
PERMIT #1382

NEW

**Durable, cleanable
desk surface**

Easy desk angle adjustment
0°–50°

Other components include
adjustable elbow supports,
raised perimeter, stationary
feet, storage box, anti-tip
rollers, and a device mount.

Foot-activated frame height
23"–43"

Wide, wheelchair-accessible frame

COMING SOON! All-New Adaptive Desk

▶ See our website for updates and ordering information: www.rifton.com • 800.571.8198