Positioning Checklist for the Rifton Size 3 Stander

Note: Not all product components are included. Do not use this checklist for product component selection.

Use this Positioning Checklist as a convenient way to ensure optimal use of the Rifton Size 3 Stander. Write notes to customize your instructions for each individual.

INDIVIDUAL'S NAME _____

STAFF NAME _____

DATE _____

THIS POSITIONING CHECKLIST IS INTENDED FOR CONSISTENT USE OF ADAPTIVE EQUIPMENT FOLLOWING ASSSESSMENT BY A HEALTH PROFESSIONAL. THE CHECKLIST DOES NOT REPLACE AN INITIAL CLINICAL EVALUATION FOR CORRECT SIZING, COMPONENT SELECTION, AND APPROPRIATE THERAPEUTIC POSITIONING FOR THE INDIVIDUAL. SOME COMPONENT SIZING IS DEPENDENT ON THE MODEL SIZE.

*Positioning references client's right and left sides.

☐ Configuration

☐ Prone
☐ Supine

Prone

Supine

☐ Thigh length

Use indexed numbers on Stander.

Right _____ Left _____

☐ Lower leg length

Use indexed numbers on Stander.



Right _____ Left _____

☐ Abduction position

Use indexed degrees on Stander.

Right _____ Left _____

☐ Hip angle

Use indexed degrees on Stander.

Right _____ Left _____

☐ Knee angle

Use indexed degrees on Stander.



Right _____ Left _____

☐ Hip depth

Use indexed numbers on Stander.

Right _____ Left _____

rifton

☐ Sandal positioning

☐ **Size 2 sandals**
☐ **Size 3 sandals**

Right: Comments _____

_____

Left: Comments _____

_____

☐ Trunk laterals

☐ **Upper trunk laterals**
- ☐ Right
- ☐ Left

Comments _____

_____

_____

☐ **Lower trunk laterals**
- ☐ Right
- ☐ Left

Comments _____

_____

_____

☐ Thigh supports

☐ **Medial thigh supports**
- ☐ Right
- ☐ Left

Comments _____

_____

_____

☐ **Lateral thigh supports**
- ☐ Right
- ☐ Left

Comments _____

_____

_____

☐ Tray

Comments _____

_____

_____

☐ PRONE CONFIGURATION – SIZE 3

☐ Critical supports in prone position

- ☐ Trunk strap
- ☐ Pelvic harness
- ☐ Sandals

☐ Prone upper trunk support

☐ Trunk support height

*Measure from hip tag to top of trunk board or prone Upper trunk support.

☐ **Trunk strap options** – Required/critical strap

☐ Standard trunk strap

- ☐ Attachment on prone upper trunk support
- ☐ Upper attachment point on trunk board
- ☐ Center attachment point on trunk board

- ☐ Loose
- ☐ Snug

OR

☐ Rotation control trunk strap

*Main body strap should be snugly velcroed around client's torso.

- ☐ Attachment on prone upper trunk support
- ☐ Upper attachment point on trunk board
- ☐ Center attachment point on trunk board

- ☐ Rotation control on Right (snug right strap attachment more than left strap)
- ☐ Rotation control on Left (snug left strap attachment more than right strap)

☐ **Pelvic harness** – Required/critical strap

*For correct use and ideal support, tighten the lower side straps first to get the harness low and snug under the user's hips before adjusting the other straps.

*Secure fifth strap for safety of client.

☐ Prone knee cuffs

☐ Right
☐ Left
Comments _____

☐ Stander inclination/tilt



Use indexed degrees on Stander.

☐ SUPINE CONFIGURATION – SIZE 3

☐ Critical supports in supine position

- ☐ Trunk strap
- ☐ Hip strap
- ☐ Knee supports
- ☐ Sandals

☐ Trunk/upper trunk support height



☐ Trunk support height

Measure from hip tag to top of head support.

Adjust trunk support height using oval knob on back of Stander.

☐ Upper trunk support height

Measure from top of trunk pad to top of head support.

Adjust upper trunk support height using white latches on back of Stander.

*Adjust and measure upper trunk support height after adjusting trunk support height.

☐ **Trunk strap options** – Required/critical strap

☐ Standard trunk strap

- ☐ Upper attachment point on trunk board
- ☐ Center attachment point on trunk board
- ☐ Loose
- ☐ Snug

OR

☐ Rotation control trunk strap

*Main body strap should be snugly velcroed around client's torso.

- ☐ Upper attachment point on trunk board
- ☐ Center attachment point on trunk board
- ☐ Rotation control on Right (snug right strap attachment more than left strap)
- ☐ Rotation control on Left (snug left strap attachment more than right strap)

OR

☐ Butterfly harness

*Secure fifth strap for safety of client.

- ☐ Standard butterfly harness
- ☐ Slim-cut butterfly harness

Comments _____

☐ **Hip strap options** – Required/critical strap

☐ Standard hip strap

- ☐ Center attachment point on trunk board
- ☐ Lower attachment point on trunk board
- ☐ Loose
- ☐ Snug

OR

☐ Rotation control hip strap

*Main body strap should be snugly velcroed around client's torso.

- ☐ Center attachment point on trunk board
- ☐ Lower attachment point on trunk board
- ☐ Rotation control on Right (snug right strap attachment more than left strap)
- ☐ Rotation control on Left (snug left strap attachment more than right strap)

☐ Knee support options – Required/critical strap

☐ Supine knee straps

Comments _____

OR

☐ Split knee supports

Comments _____

☐ Head support positioning

☐ Headrest depth

_____

☐ Head laterals

☐ Right
☐ Left

Width _____

Comments _____

☐ Stander inclination/tilt



Use indexed degrees on Stander.

_____