

## Resources

1. Bull FC, Al-Ansari SS, Biddle S, et al. World Health Organization 2020 guidelines on physical activity and sedentary behaviour. *Br J Sports Med.* 2020;54(24):1451-1462. doi:10.1136/bjsports-2020-102955
2. Chaput J-P, Willumsen J, Bull F, et al. 2020 who guidelines on physical activity and sedentary behaviour for children and adolescents aged 5–17 years: Summary of the evidence. *Int J Behav Nutr Phys Act.* 2020;17(1). doi:10.1186/s12966-020-01037-z
3. Carty C, van der Ploeg HP, Biddle SJH, et al. The first global physical activity and sedentary behavior guidelines for people living with disability. *J Phys Act Health.* 2021;18(1):86-93. doi:10.1123/jpah.2020-0629
4. ICF beginner's guide: Towards a common language for functioning, disability and health. World Health Organization. <https://www.who.int/publications/m/item/icf-beginner-s-guide-towards-a-common-language-for-functioning-disability-and-health>
5. Jette AM. Toward a common language for function, disability, and health. *Phys Ther.* 2006;86(5):726-734. doi:10.1093/ptj/86.5.726
6. Rosenbaum P, Gorter JW. The ‘f-words’ in childhood disability: I swear this is how we should think! *Child Care Health Dev.* 2011;38(4):457-463. doi:10.1111/j.1365-2214.2011.01338.x
7. Woodbury, M. G., & Kuhnke, J. L. (2014). “Evidence-based Practice vs. Evidence-Informed Practice: What’s the Difference?” *Wound Care Canada,* 12(1), 26-29.
8. Miles A, Loughlin M. Models in the balance: Evidence-based medicine versus evidence-informed individualized care. *J Eval Clin Pract.* 2011;17(4):531-536. doi:10.1111/j.1365-2753.2011.01713.x
9. Howick J, Chalmer I, et al. OCEBM levels of evidence. Centre for Evidence-Based Medicine (CEBM), University of Oxford. <https://www.cebm.ox.ac.uk/resources/levels-of-evidence/ocebm-levels-of-evidence>
10. Carlon SL, Taylor NF, Dodd KJ, Shields N. Differences in habitual physical activity levels of young people with cerebral palsy and their typically developing peers: A systematic review. *Disabil Rehabil.* 2012;35(8):647-655. doi:10.3109/09638288.2012.715721
11. Bjornson K, Fiss A, Avery L, et al. Longitudinal trajectories of physical activity and walking performance by Gross Motor Function Classification system level for children with cerebral palsy. *Disabil Rehabil.* 2019;42(12):1705-1713. doi:10.1080/09638288.2018.1534995
12. Verschuren O, Peterson MD, Balemans AC, Hurvitz EA. Exercise and physical activity recommendations for people with cerebral palsy. *Dev Med Child Neurol.* 2016;58(8):798-808. doi:10.1111/dmcn.13053
13. Armstrong EL, Spencer S, Kentish MJ, Horan SA, Carty CP, Boyd RN. Efficacy of cycling interventions to improve function in children and adolescents with cerebral palsy: A systematic review and meta-analysis. *Clinl Rehabil.* 2019;33(7):1113-1129. doi:10.1177/0269215519837582

14. Williams H, Pountney T. Effects of a static bicycling programme on the functional ability of young people with cerebral palsy who are non-ambulant. *Dev Med Child Neurol.* 2007;49(7):522-527. doi:10.1111/j.1469-8749.2007.00522.x
15. Fowler EG, Knutson LM, DeMuth SK, et al. Pediatric endurance and limb strengthening (pedals) for children with cerebral palsy using stationary cycling: A randomized controlled trial. *Phys Ther.* 2010;90(3):367-381. doi:10.2522/ptj.20080364
16. Siebert KL, DeMuth SK, Knutson LM, Fowler EG. Stationary cycling and children with cerebral palsy: Case reports for two participants. *Phys Occup Ther Pediatr.* 2010;30(2):125-138. doi:10.3109/01942630903578399
17. Demuth SK, Knutson LM, Fowler EG. The pedals stationary cycling intervention and health-related quality of life in children with cerebral palsy: A randomized controlled trial. *Dev Med Child Neurol.* 2012;54(7):654-661. doi:10.1111/j.1469-8749.2012.04321.x
18. Bryant E, Pountney T, Williams H, Edelman N. Can a six-week exercise intervention improve gross motor function for non-ambulant children with cerebral palsy? A pilot randomized controlled trial. *Clinl Rehabil.* 2012;27(2):150-159. doi:10.1177/0269215512453061
19. Mohanty P, Meshram N, Pattnaik M. Comparison of dynamic cycling vs static cycling on endurance, balance, and walking ability of children with cerebral palsy. *Int J Physiother Res.* 2015;3(4):1163-1170. doi:10.16965/ijpr.2015.161
20. Pickering D, Horrocks LM, Visser KS, Todd G. ‘every picture tells a story’: Interviews and diaries with children with cerebral palsy about adapted cycling. *J Paediatr Child Health.* 2013;49(12):1040-1044. doi:10.1111/jpc.12289
21. Pickering DM, Horrocks L, Visser K, Todd G. Adapted bikes – what children and young people with cerebral palsy told us about their participation in adapted dynamic cycling. *Disabil Rehabil Assist Technol.* 2012;8(1):30-37. doi:10.3109/17483107.2012.680942
22. Pickering DM, Horrocks LM, Visser KS, Todd GL. Analyzing mosaic data by a ‘wheel of participation’ to explore physical activities and cycling with children and youth with cerebral palsy. *International Journal of Developmental Disabilities.* 2014;61(1):41-48. doi:10.1179/2047387714y.0000000038
23. Dussault-Picard C, Houle E, Parent A, et al. Locomotion efficiency while riding an adapted tricycle compared to walking in children with cerebral palsy: Preliminary results. *Gait & Posture.* 2016;49:231. doi:10.1016/j.gaitpost.2016.07.284
24. Daly C, Moore CL, Johannes S, Middleton J, Kenyon LK. Pilot evaluation of a school-based programme focused on activity, fitness, and function among children with cerebral palsy at GMFCS Level IV: Single-subject research design. *Physiotherapy Canada.* 2020;72(2):195-204. doi:10.3138/ptc-2018-0053
25. Dodds C. Clinician’s commentary on Daly et al. *Physiother Can.* 2020;72(2):205-206. doi:10.3138/ptc-2018-0053-cc
26. Ruggeri A, Dancel A, Johnson R, Sargent B. The effect of motor and physical activity intervention on motor outcomes of children with autism spectrum disorder: A systematic review. *Autism.* 2019;24(3):544-568. doi:10.1177/1362361319885215

27. Takagi S, Hori H, Yamaguchi T, et al. Motor functional characteristics in attention-deficit/hyperactivity disorder and autism spectrum disorders: A systematic review. *Neuropsychiatr Dis Treat.* 2022;Volume 18:1679-1695. doi:10.2147/ndt.s369845
28. Pusponegoro HD, Efar P, Soedjatmiko, et al. Gross Motor Profile and its association with socialization skills in children with autism spectrum disorders. *Pediatr Neonatol.* 2016;57(6):501-507. doi:10.1016/j.pedneo.2016.02.004
29. Cheung WC, Meadan H, Xia Y. A longitudinal analysis of the relationships between social, communication, and motor skills among students with autism. *J Autism Dev Disord.* 2021;52(10):4505-4518. doi:10.1007/s10803-021-05328-7
30. Sung M-C, Ku B, Leung W, MacDonald M. The effect of physical activity interventions on executive function among people with neurodevelopmental disorders: A meta-analysis. *J Autism Dev Disord.* 2021;52(3):1030-1050. doi:10.1007/s10803-021-05009-5
31. Ludyga S, Pühse U, Gerber M, Kamijo K. How children with neurodevelopmental disorders can benefit from the neurocognitive effects of exercise. *Neurosci Biobehav Rev.* 2021;127:514-519. doi:10.1016/j.neubiorev.2021.04.039
32. Sefen JA, Al-Salmi S, Shaikh Z, AlMulhem JT, Rajab E, Fredericks S. Beneficial use and potential effectiveness of physical activity in managing autism spectrum disorder. *Front Behav Neurosci.* 2020;14. doi:10.3389/fnbeh.2020.587560
33. Srinivasan SM, Pescatello LS, Bhat AN. Current perspectives on physical activity and exercise recommendations for children and adolescents with autism spectrum disorders. *Phys Ther.* 2014;94(6):875-889. doi:10.2522/ptj.20130157
34. Lochbaum M, Crews D. Viability of cardiorespiratory and muscular strength programs for the adolescent with autism. *Complement Health Pract Rev.* 2003;8(3):225-233. doi:10.1177/1076167503252917
35. Nam K, Ringenbach SDR, Brusseau TA, et al. Immediate reinforcement increased duration of time riding the stationary bicycle in children with autism spectrum disorder: A pilot study. *Int J Dev Disabil.* 2020;68(3):388-394. doi:10.1080/20473869.2020.1783480
36. Ferreira JP, Ghiarone T, Cabral Júnior CR, et al. Effects of physical exercise on the stereotyped behavior of children with autism spectrum disorders. *Medicina (Kaunas).* 2019;55(10):685. doi:10.3390/medicina55100685
37. Teh EJ, Vijayakumar R, Tan TX, Yap MJ. Effects of physical exercise interventions on stereotyped motor behaviours in children with ASD: A meta-analysis. *J Autism Dev Disord..* 2021;52(7):2934-2957. doi:10.1007/s10803-021-05152-z
38. Olin SS, McFadden BA, Golem DL, et al. The effects of exercise dose on stereotypical behavior in children with autism. *Med Sci Sports Exerc.* 2017;49(5):983-990. doi:10.1249/mss.0000000000001197
39. Losinski M, Cook K, Hirsch S, Sanders S. The effects of deep pressure therapies and antecedent exercise on stereotypical behaviors of students with autism spectrum disorders. *Behavioral Disorders.* 2017;42(4):196-208. doi:10.1177/0198742917715873
40. Todd T, Reid G, Butler-Kisber L. Cycling for students with ASD: Self-regulation promotes sustained physical activity. *Adapt Phys Activ Q.* 2010;27(3):226-241w. doi:10.1123/apaq.27.3.226

41. Sorensen C, Zarrett N. Benefits of physical activity for adolescents with autism spectrum disorders: A comprehensive review. *Rev J Autism Dev Disord.* 2014;1(4):344-353. doi:10.1007/s40489-014-0027-4
42. Thevarajah A, Wallen M, Imms C, Lonsdale C, Carey JJ, Froude EH. Impact of adapted bicycle riding on outcomes for children and adolescents with disabilities: A systematic review. *Dev Med Child Neurol.* 2022. doi:10.1111/dmcn.15446